

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101122\
 Data File : VW024854.D
 Acq On : 11 Oct 2022 16:28
 Operator : SY/VA
 Sample : N5049-05
 Misc : 5.54g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0BJ5

Quant Time: Oct 12 01:22:19 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Oct 12 01:17:56 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	532148	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	410919	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	118132	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	122526	22.007	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.040%
7) Chloroethane-d5	2.885	69	76486	23.640	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.560%
11) 1,1-Dichloroethene-d2	4.019	63	202016	15.676	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	62.720%
21) 2-Butanone-d5	7.086	46	87157	43.541	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.080%
24) Chloroform-d	7.653	84	351792	24.728	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.920%
26) 1,2-Dichloroethane-d4	8.305	65	187077	25.349	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.400%
32) Benzene-d6	8.274	84	649340	24.723	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.880%
36) 1,2-Dichloropropane-d6	9.274	67	218675	27.250	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	109.000%
41) Toluene-d8	10.323	98	523629	22.306	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	89.240%
43) trans-1,3-Dichloroprop...	10.579	79	57264	16.024	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	64.080%
47) 2-Hexanone-d5	10.926	63	54145	39.435	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.880%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	152662	26.699	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	106.800%
66) 1,2-Dichlorobenzene-d4	13.853	152	92937	22.357	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	89.440%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW0101122\
Data File : VW024854.D
Acq On : 11 Oct 2022 16:28
Operator : SY/VA
Sample : N5049-05
Misc : 5.54g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0BJ5

Quant Time: Oct 12 01:22:19 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Oct 12 01:17:56 2022
Response via : Initial Calibration

