

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101122\
 Data File : VW024843.D
 Acq On : 11 Oct 2022 12:03
 Operator : SY/VA
 Sample : N5064-12
 Misc : 5.62g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0BH5

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/12/2022
 Supervised By :Mahesh Dadoda 10/12/2022

Quant Time: Oct 12 01:19:52 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Oct 12 01:17:56 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	500930	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	393609	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	132846	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	96174	18.350	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	73.400%		
7) Chloroethane-d5	2.885	69	66029	21.680	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	86.720%		
11) 1,1-Dichloroethene-d2	4.013	63	152047m	12.534	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	50.120%		
21) 2-Butanone-d5	7.080	46	83749	44.446	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	88.900%		
24) Chloroform-d	7.647	84	328727	24.547	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	98.200%		
26) 1,2-Dichloroethane-d4	8.305	65	190067	27.360	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	109.440%		
32) Benzene-d6	8.275	84	588958	23.410	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	93.640%		
36) 1,2-Dichloropropane-d6	9.274	67	219827	28.598	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	114.400%		
41) Toluene-d8	10.323	98	447546	19.904	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	79.600%		
43) trans-1,3-Dichloroprop...	10.579	79	41605	12.154	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	48.600%		
47) 2-Hexanone-d5	10.927	63	47107	35.818	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	71.640%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	174993	31.951	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	127.800%#		
66) 1,2-Dichlorobenzene-d4	13.847	152	107192	22.930	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	91.720%		
Target Compounds					Qvalue	
13) Acetone	4.135	43	9105	6.623	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101122\
Data File : VW024843.D
Acq On : 11 Oct 2022 12:03
Operator : SY/VA
Sample : N5064-12
Misc : 5.62g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
C0BH5

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 10/12/2022
Supervised By : Mahesh Dadoda 10/12/2022


Quant Time: Oct 12 01:19:52 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Oct 12 01:17:56 2022
Response via : Initial Calibration





#13
 Acetone
 Concen: 6.623 ug/L
 RT: 4.135 min Scan# 30
 Delta R.T. 0.012 min
 Lab File: VW024843.D
 Acq: 11 Oct 2022 12:03

Instrument :
 MSVOA_W
 ClientSampleId :
 C0BH5



Tgt Ion: 43 Resp: 910
 Ion Ratio Lower Upper
 43 100
 58 29.4 0.0 67.6

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/12/2022
 Supervised By :Mahesh Dadoda 10/12/2022

