

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW101519\
 Data File : VW013587.D
 Acq On : 15 Oct 2019 17:07
 Operator : SY/VA
 Sample : K5378-06
 Misc : 2.23G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Oct 15 19:02:25 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101019S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 15 13:46:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	404437	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	346705	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	144163	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	70509	15.23	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	60.92%
7) Chloroethane-d5	2.89	69	70087	19.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.88%
10) 1,1-Dichloroethene-d2	4.01	63	123526	12.86	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	51.44%
20) 2-Butanone-d5	7.08	46	62176	44.59	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.18%
24) Chloroform-d	7.65	84	194862	22.18	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.72%
26) 1,2-Dichloroethane-d4	8.31	65	105945	23.28	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.12%
29) Benzene-d6	8.27	84	396705	21.36	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	85.44%
33) 1,2-Dichloropropane-d6	9.27	67	125365	22.75	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.00%
37) Toluene-d8	10.32	98	349749	19.84	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	79.36%
38) trans-1,3-Dichloropropene-	10.58	79	47468	19.34	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.36%
39) 2-Hexanone-d5	10.93	63	47716	43.29	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.58%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	106285	24.06	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.24%
61) 1,2-Dichlorobenzene-d4	13.85	152	112695	21.75	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	87.00%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	36828	6.012 ug/L	97
59) 1,2,3-Trichloropropane	13.56	75	15070	4.460 ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW101519\
Data File : VW013587.D
Acq On : 15 Oct 2019 17:07
Operator : SY/VA
Sample : K5378-06
Misc : 2.23G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Oct 15 19:02:25 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101019S.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 15 13:46:18 2019
Response via : Initial Calibration









#16
Methvlene chloride
Concen: 6.012 ug/L
RT: 4.92 min Scan# 494
Delta R.T. 0.01 min
Lab File: VW013587.D
Acq: 15 Oct 2019 17:07

Instrument :
MSVOA_W
ClientSampleId :

Tot Ion: 84 Resp: 36828
Ion Ratio Lower Upper
84 100
49 112.8 81.3 151.1
86 64.1 46.3 86.1




Abundance Ion 84.00 (83.70 to 84.70): VW
Ion 49.00 (48.70 to 49.70): VW
Ion 86.00 (85.70 to 86.70): VW



#59
1,2,3-Trichloropropane
Concen: 4.460 ug/L
RT: 13.56 min Scan# 1912
Delta R.T. 0.79 min
Lab File: VW013587.D
Acq: 15 Oct 2019 17:07

Tgt Ion: 75 Resp: 15070
Ion Ratio Lower Upper
75 100
77 37.9 25.5 38.3



Abundance Ion 75.00 (74.70 to 75.70): VW
Ion 77.00 (76.70 to 77.70): VW

