

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101524\
 Data File : VW030600.D
 Acq On : 15 Oct 2024 11:21
 Operator : SY/MD
 Sample : VW1015SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK574

Quant Time: Oct 16 01:29:41 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM100924SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Oct 16 01:28:14 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	252912	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	241015	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	106416	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	76092	19.141	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.560%
7) Chloroethane-d5	2.899	69	67093	22.296	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.200%
11) 1,1-Dichloroethene-d2	4.027	65	29305	17.723	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.880%
21) 2-Butanone-d5	7.081	46	33875	47.350	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.700%
24) Chloroform-d	7.648	84	165291	22.853	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.400%
26) 1,2-Dichloroethane-d4	8.307	65	88321	23.483	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.920%
32) Benzene-d6	8.276	84	300659	21.493	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	85.960%
36) 1,2-Dichloropropane-d6	9.270	67	92913	22.630	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.520%
41) Toluene-d8	10.325	98	268816	21.051	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	84.200%
43) trans-1,3-Dichloroprop...	10.575	79	36143	21.023	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.080%
47) 2-Hexanone-d5	10.922	63	25738	48.671	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.340%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	74042	24.556	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	98.240%
66) 1,2-Dichlorobenzene-d4	13.849	152	85974	23.877	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.520%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101524\
Data File : VW030600.D
Acq On : 15 Oct 2024 11:21
Operator : SY/MD
Sample : VW1015SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK574

Quant Time: Oct 16 01:29:41 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM100924SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Oct 16 01:28:14 2024
Response via : Initial Calibration

