

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101823\
 Data File : VW027321.D
 Acq On : 18 Oct 2023 11:18
 Operator : SY/MD
 Sample : VW1018SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK584

Quant Time: Oct 18 22:21:37 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Oct 18 22:20:28 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	466751	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	422559	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	209517	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	165513	23.235	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.960%
7) Chloroethane-d5	2.899	69	127996	25.025	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.080%
11) 1,1-Dichloroethene-d2	4.021	65	83711	23.453	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	93.800%
21) 2-Butanone-d5	7.075	46	105740	44.661	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.320%
24) Chloroform-d	7.648	84	337905	24.290	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	97.160%
26) 1,2-Dichloroethane-d4	8.307	65	186165	24.912	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	99.640%
32) Benzene-d6	8.276	84	726398	25.408	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	101.640%
36) 1,2-Dichloropropane-d6	9.276	67	223828	25.632	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	102.520%
41) Toluene-d8	10.319	98	636688	24.559	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	98.240%
43) trans-1,3-Dichloroprop...	10.575	79	92895	23.332	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	93.320%
47) 2-Hexanone-d5	10.922	63	84042	46.518	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.040%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	161089	24.726	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	98.920%
66) 1,2-Dichlorobenzene-d4	13.849	152	200279	26.378	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.520%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101823\
Data File : VW027321.D
Acq On : 18 Oct 2023 11:18
Operator : SY/MD
Sample : VW1018SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK584

Quant Time: Oct 18 22:21:37 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Oct 18 22:20:28 2023
Response via : Initial Calibration

