

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101823\
 Data File : VW027327.D
 Acq On : 18 Oct 2023 15:10
 Operator : SY/MD
 Sample : 04948-03
 Misc : 5.35g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AH5

Quant Time: Oct 18 22:22:59 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Oct 18 22:20:28 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	658254	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	500674	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	163533	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	166990	16.623	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.480%
7) Chloroethane-d5	2.899	69	134610	18.661	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.640%
11) 1,1-Dichloroethene-d2	4.021	65	87696	17.422	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.680%
21) 2-Butanone-d5	7.081	46	104057	31.164	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	62.320%
24) Chloroform-d	7.654	84	375285	19.129	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	76.520%
26) 1,2-Dichloroethane-d4	8.307	65	194323	18.439	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	73.760%
32) Benzene-d6	8.276	84	753064	22.231	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.920%
36) 1,2-Dichloropropane-d6	9.276	67	234670	22.681	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.720%
41) Toluene-d8	10.325	98	613468	19.971	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	79.880%
43) trans-1,3-Dichloroprop...	10.575	79	80645	17.095	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	68.400%
47) 2-Hexanone-d5	10.922	63	76710	35.835	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	71.680%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	149698	19.392	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	77.560%
66) 1,2-Dichlorobenzene-d4	13.854	152	109591	18.493	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	73.960%#
Target Compounds						
					Qvalue	
14) Carbon disulfide	4.387	76	82969	3.101	ug/L	99
16) Methylene chloride	4.923	84	47168	3.915	ug/L	98
34) Trichloroethene	9.093	95	44308	5.126	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101823\
Data File : VW027327.D
Acq On : 18 Oct 2023 15:10
Operator : SY/MD
Sample : 04948-03
Misc : 5.35g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AH5

Quant Time: Oct 18 22:22:59 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Oct 18 22:20:28 2023
Response via : Initial Calibration

