

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101923\
 Data File : VW027350.D
 Acq On : 19 Oct 2023 16:01
 Operator : SY/MD
 Sample : 04953-05
 Misc : 3.02g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EOAS7

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/20/2023
 Supervised By :Mahesh Dadoda 10/20/2023

Quant Time: Oct 20 02:50:58 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Oct 20 02:46:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	470050	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	326204	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	95637	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	128671	17.936	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	71.760%		
7) Chloroethane-d5	2.899	69	102922	19.981	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	79.920%		
11) 1,1-Dichloroethene-d2	4.021	65	63950	17.791	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	71.160%		
21) 2-Butanone-d5	7.081	46	84722	35.532	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	71.060%		
24) Chloroform-d	7.654	84	267062	19.063	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	76.240%		
26) 1,2-Dichloroethane-d4	8.307	65	155914m	20.717	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	82.880%		
32) Benzene-d6	8.276	84	548156	24.837	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	99.360%		
36) 1,2-Dichloropropane-d6	9.276	67	177535	26.336	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	105.360%		
41) Toluene-d8	10.325	98	402495	20.111	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	80.440%		
43) trans-1,3-Dichloroprop...	10.575	79	57574	18.732	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	74.920%		
47) 2-Hexanone-d5	10.922	63	64581	46.305	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	92.620%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	119360	23.732	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	94.920%		
66) 1,2-Dichlorobenzene-d4	13.848	152	66559	19.205	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	76.800%		
Target Compounds					Qvalue	
13) Acetone	4.137	43	23404	11.365	ug/L	93
16) Methylene chloride	4.917	84	25658	2.982	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101923\
Data File : VW027350.D
Acq On : 19 Oct 2023 16:01
Operator : SY/MD
Sample : 04953-05
Misc : 3.02g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EOAS7

Quant Time: Oct 20 02:50:58 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Oct 20 02:46:04 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 10/20/2023
Supervised By :Mahesh Dadoda 10/20/2023

