

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101923\
 Data File : VW027340.D
 Acq On : 19 Oct 2023 11:38
 Operator : SY/MD
 Sample : VIBLK535
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK535

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/20/2023
 Supervised By :Mahesh Dadoda 10/20/2023

Quant Time: Oct 20 02:47:54 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Oct 20 02:46:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	427996	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	390079	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	198304	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	143746	22.007	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	88.040%		
7) Chloroethane-d5	2.899	69	113876	24.280	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	97.120%		
11) 1,1-Dichloroethene-d2	4.021	65	74670	22.814	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	91.240%		
21) 2-Butanone-d5	7.075	46	98048	45.162	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	90.320%		
24) Chloroform-d	7.648	84	298847	23.427	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	93.720%		
26) 1,2-Dichloroethane-d4	8.307	65	165421m	24.141	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	96.560%		
32) Benzene-d6	8.276	84	636754	24.127	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	96.520%		
36) 1,2-Dichloropropane-d6	9.276	67	194187	24.090	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	96.360%		
41) Toluene-d8	10.325	98	566056	23.652	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	94.600%		
43) trans-1,3-Dichloroprop...	10.581	79	80251	21.835	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	87.320%		
47) 2-Hexanone-d5	10.922	63	75842	45.475	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	90.940%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	144925	24.097	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	96.400%		
66) 1,2-Dichlorobenzene-d4	13.848	152	168110	23.394	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	93.560%		
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	23904	3.051	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101923\
Data File : VW027340.D
Acq On : 19 Oct 2023 11:38
Operator : SY/MD
Sample : VIBLK535
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
VIBLK535

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 10/20/2023
Supervised By :Mahesh Dadoda 10/20/2023


Quant Time: Oct 20 02:47:54 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Oct 20 02:46:04 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.051 ug/L
RT: 4.917 min Scan# 49
Delta R.T. -0.006 min
Lab File: VW027340.D
Acq: 19 Oct 2023 11:38

Instrument :
MSVOA_W
ClientSampleId :
VIBLK535



Tgt Ion: 84 Resp: 23904
Ion Ratio Lower Upper
84 100
86 64.4 41.3 76.7
49 142.5 92.8 172.4

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 10/20/2023
Supervised By :Mahesh Dadoda 10/20/2023

