

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102022\
 Data File : VW024959.D
 Acq On : 20 Oct 2022 09:46
 Operator : SY/VA
 Sample : VW1020SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Oct 20 21:15:30 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Oct 20 21:14:54 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	520250	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.627	117	468729	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	215224	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	116808	19.031	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.120%
7) Chloroethane-d5	2.891	69	72706	20.232	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.920%
11) 1,1-Dichloroethene-d2	4.019	63	203774	15.270	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.080%
21) 2-Butanone-d5	7.080	46	79953	41.112	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.220%
24) Chloroform-d	7.646	84	299495	20.410	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	81.640%
26) 1,2-Dichloroethane-d4	8.305	65	155901	20.300	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	81.200%
32) Benzene-d6	8.274	84	636011	21.638	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.560%
36) 1,2-Dichloropropane-d6	9.274	67	195806	21.720	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.880%
41) Toluene-d8	10.323	98	564231	21.387	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.560%
43) trans-1,3-Dichloroprop...	10.579	79	69711	20.389	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.560%
47) 2-Hexanone-d5	10.926	63	59539	39.392	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.780%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	140374	19.966	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	79.880%
66) 1,2-Dichlorobenzene-d4	13.853	152	170356	21.660	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	86.640%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102022\
Data File : VW024959.D
Acq On : 20 Oct 2022 09:46
Operator : SY/VA
Sample : VW1020SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Oct 20 21:15:30 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101222SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Oct 20 21:14:54 2022
Response via : Initial Calibration

