

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW102219\
 Data File : VW013647.D
 Acq On : 22 Oct 2019 11:32
 Operator : SY/VA
 Sample : VW1022SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK11

Quant Time: Oct 22 14:38:48 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101819S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 22 14:36:27 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	345461	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	331714	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	188180	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	96429	22.75	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.00%
7) Chloroethane-d5	2.89	69	85188	21.53	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.12%
10) 1,1-Dichloroethene-d2	4.03	63	151616	16.20	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.80%
20) 2-Butanone-d5	7.08	46	73491	48.48	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.96%
24) Chloroform-d	7.65	84	223279	23.10	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.40%
26) 1,2-Dichloroethane-d4	8.31	65	118538	23.45	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.80%
29) Benzene-d6	8.27	84	468431	23.50	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.00%
33) 1,2-Dichloropropane-d6	9.27	67	144057	24.20	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.80%
37) Toluene-d8	10.32	98	422162	22.97	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.88%
38) trans-1,3-Dichloropropene-	10.58	79	60576	22.56	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	90.24%
39) 2-Hexanone-d5	10.93	63	57639	50.66	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.32%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	120586	24.74	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	98.96%
61) 1,2-Dichlorobenzene-d4	13.85	152	158790	23.88	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.52%


Target Compounds					Ovalue
59) 1,2,3-Trichloropropane	13.56	75	19188	4.891 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW102219\
Data File : VW013647.D
Acq On : 22 Oct 2019 11:32
Operator : SY/VA
Sample : VW1022SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK11

Quant Time: Oct 22 14:38:48 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101819S.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 22 14:36:27 2019
Response via : Initial Calibration





#59

1,2,3-Trichloropropane

Concen: 4.891 ug/L

RT: 13.56 min Scan# 1912

Delta R.T. 0.79 min

Lab File: VW013647.D

Acq: 22 Oct 2019 11:32

Instrument :

MSVOA_W

ClientSampleId :

VBLK11

Tot Ion: 75 Resp: 19188

Ion Ratio Lower Upper

75 100

77 34.1 26.4 39.6

