

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102323\
 Data File : VW027403.D
 Acq On : 23 Oct 2023 18:26
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Oct 24 00:52:04 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Oct 21 04:25:20 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	405962	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	376915	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	190353	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	126018	20.340	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.360%
7) Chloroethane-d5	2.899	69	101980	22.924	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.680%
11) 1,1-Dichloroethene-d2	4.021	65	67787	21.835	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	87.360%
21) 2-Butanone-d5	7.081	46	100745	48.922	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.840%
24) Chloroform-d	7.648	84	284528	23.515	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.080%
26) 1,2-Dichloroethane-d4	8.307	65	160150	24.640	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.560%
32) Benzene-d6	8.276	84	589782	23.128	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.520%
36) 1,2-Dichloropropane-d6	9.276	67	186493	23.943	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.760%
41) Toluene-d8	10.325	98	510358	22.070	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.280%
43) trans-1,3-Dichloroprop...	10.574	79	71425	20.112	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	80.440%
47) 2-Hexanone-d5	10.922	63	77997	48.400	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.800%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	146974	25.291	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.160%
66) 1,2-Dichlorobenzene-d4	13.848	152	152495	22.107	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	88.440%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102323\
Data File : VW027403.D
Acq On : 23 Oct 2023 18:26
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Oct 24 00:52:04 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Oct 21 04:25:20 2023
Response via : Initial Calibration

