

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102422\
 Data File : VW024970.D
 Acq On : 24 Oct 2022 17:07
 Operator : SY/VA
 Sample : VIBLK
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK570

Quant Time: Oct 27 02:14:59 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Oct 27 02:12:22 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	522265	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	475283	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	219206	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	103411	16.783	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	67.120%
7) Chloroethane-d5	2.891	69	64030	17.749	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.000%
11) 1,1-Dichloroethene-d2	4.019	63	185781	13.868	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	55.480%
21) 2-Butanone-d5	7.074	46	89602	45.896	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.800%
24) Chloroform-d	7.653	84	286156	19.426	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	77.720%
26) 1,2-Dichloroethane-d4	8.305	65	154269	20.010	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	80.040%
32) Benzene-d6	8.275	84	587798	19.722	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	78.880%
36) 1,2-Dichloropropane-d6	9.274	67	182889	20.007	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	80.040%
41) Toluene-d8	10.323	98	521075	19.479	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	77.920%
43) trans-1,3-Dichloroprop...	10.579	79	70965	20.469	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.880%
47) 2-Hexanone-d5	10.927	63	68503	44.697	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.400%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	152104	21.336	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	85.360%
66) 1,2-Dichlorobenzene-d4	13.847	152	165369	20.644	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	82.560%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102422\
Data File : VW024970.D
Acq On : 24 Oct 2022 17:07
Operator : SY/VA
Sample : VIBLK
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK570

Quant Time: Oct 27 02:14:59 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101222SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Oct 27 02:12:22 2022
Response via : Initial Calibration

