

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102423\
 Data File : VW027409.D
 Acq On : 24 Oct 2023 12:06
 Operator : SY/MD
 Sample : 04922-06
 Misc : 5.02g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Oct 25 01:29:40 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Oct 25 01:28:28 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	375801	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	348853	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	165093	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	115803	20.191	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.760%
7) Chloroethane-d5	2.899	69	94829	23.027	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.120%
11) 1,1-Dichloroethene-d2	4.021	65	61279	21.323	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	85.280%
21) 2-Butanone-d5	7.075	46	83909	44.017	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.040%
24) Chloroform-d	7.648	84	261384	23.336	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.360%
26) 1,2-Dichloroethane-d4	8.307	65	138691	23.051	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.200%
32) Benzene-d6	8.276	84	520291	22.044	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.160%
36) 1,2-Dichloropropane-d6	9.276	67	169347	23.491	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.960%
41) Toluene-d8	10.319	98	461050	21.541	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.160%
43) trans-1,3-Dichloroprop...	10.575	79	61561	18.729	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	74.920%
47) 2-Hexanone-d5	10.922	63	61581	41.287	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.580%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	121339	22.560	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	90.240%
66) 1,2-Dichlorobenzene-d4	13.848	152	135308	22.617	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	90.480%
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	13146	1.911	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102423\
Data File : VW027409.D
Acq On : 24 Oct 2023 12:06
Operator : SY/MD
Sample : 04922-06
Misc : 5.02g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Oct 25 01:29:40 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Oct 25 01:28:28 2023
Response via : Initial Calibration





#16

Methylene chloride

Concen: 1.911 ug/L

RT: 4.917 min Scan# 49

Delta R.T. 0.000 min


Lab File: VW027409.D

Acq: 24 Oct 2023 12:06

Instrument :

MSVOA_W

ClientSampleId :



Tgt Ion: 84 Resp: 13146

Ion Ratio Lower Upper

84 100

86 62.2 41.3 76.7

49 128.5 92.8 172.4

