

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102523\
 Data File : VW027438.D
 Acq On : 25 Oct 2023 13:23
 Operator : SY/MD
 Sample : VIBLK552
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK552

Quant Time: Oct 26 00:50:23 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Oct 26 00:48:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	459501	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	412587	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	204027	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	125109	17.840	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.360%
7) Chloroethane-d5	2.893	69	103598	20.574	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.280%
11) 1,1-Dichloroethene-d2	4.021	65	65390	18.609	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	74.440%
21) 2-Butanone-d5	7.075	46	108240	46.438	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.880%
24) Chloroform-d	7.648	84	302601	22.095	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.400%
26) 1,2-Dichloroethane-d4	8.307	65	166020	22.567	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	90.280%
32) Benzene-d6	8.276	84	601275	21.540	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.160%
36) 1,2-Dichloropropane-d6	9.270	67	191953	22.513	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.040%
41) Toluene-d8	10.318	98	510402	20.163	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.640%
43) trans-1,3-Dichloroprop...	10.581	79	71539	18.403	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	73.600%
47) 2-Hexanone-d5	10.922	63	81758	46.348	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.700%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	151873	23.875	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.480%
66) 1,2-Dichlorobenzene-d4	13.848	152	168542	22.796	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	91.200%
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	25900	3.079	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102523\
Data File : VW027438.D
Acq On : 25 Oct 2023 13:23
Operator : SY/MD
Sample : VIBLK552
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK552


Quant Time: Oct 26 00:50:23 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Oct 26 00:48:25 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.079 ug/L
RT: 4.917 min Scan# 49
Delta R.T. -0.006 min
Lab File: VW027438.D
Acq: 25 Oct 2023 13:23

Instrument :
MSVOA_W
ClientSampleId :
VIBLK552



Tgt Ion:	84	Resp:	25900
Ion	Ratio	Lower	Upper
84	100		
86	64.1	41.3	76.7
49	140.7	92.8	172.4

