

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102623\
 Data File : VW027444.D
 Acq On : 26 Oct 2023 12:14
 Operator : SY/MD
 Sample : 05034-09
 Misc : 5.71g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Oct 27 01:28:31 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Oct 27 01:27:32 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	619087	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	562083	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	270871	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	128686	13.620	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	54.480%
7) Chloroethane-d5	2.899	69	111231	16.396	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.600%
11) 1,1-Dichloroethene-d2	4.021	65	72054	15.220	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.880%
21) 2-Butanone-d5	7.075	46	114418	36.434	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	72.860%
24) Chloroform-d	7.648	84	343141	18.597	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	74.400%
26) 1,2-Dichloroethane-d4	8.044	65	70	0.007	ug/L	-0.26
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.040%#
32) Benzene-d6	8.270	84	679372	17.865	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	71.440%
36) 1,2-Dichloropropane-d6	9.270	67	222113	19.122	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	76.480%
41) Toluene-d8	10.318	98	580919	16.845	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	67.400%
43) trans-1,3-Dichloroprop...	10.575	79	81923	15.469	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	61.880%
47) 2-Hexanone-d5	10.922	63	88663	36.894	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	73.780%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	173430	20.012	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	80.040%
66) 1,2-Dichlorobenzene-d4	13.848	152	191755	19.535	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	78.160%
Target Compounds						
					Qvalue	
48) 2-Hexanone	10.922	43	11212	2.218	ug/L #	39


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102623\
Data File : VW027444.D
Acq On : 26 Oct 2023 12:14
Operator : SY/MD
Sample : 05034-09
Misc : 5.71g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: Oct 27 01:28:31 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Oct 27 01:27:32 2023
Response via : Initial Calibration





#48
 2-Hexanone
 Concen: 2.218 ug/L
 RT: 10.922 min Scan# 14
 Delta R.T. -0.043 min
 Lab File: VW027444.D
 Acq: 26 Oct 2023 12:14

Instrument :
 MSVOA_W
 ClientSampleId :



Tgt Ion: 43	Resp:	11212
Ion	Ratio	Lower Upper
43	100	
58	0.0	42.2 63.4#
57	0.0	15.1 22.7#
100	0.8	9.0 13.4#

