

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102623\
 Data File : VW027446.D
 Acq On : 26 Oct 2023 13:03
 Operator : SY/MD
 Sample : 05034-13
 Misc : 4.79g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Oct 27 01:28:53 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Oct 27 01:27:32 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	565753	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	512595	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	241268	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	125375	14.521	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	58.080%
7) Chloroethane-d5	2.893	69	107087	17.273	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.080%
11) 1,1-Dichloroethene-d2	4.021	65	68929	15.932	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.720%
21) 2-Butanone-d5	7.081	46	107453	37.442	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.880%
24) Chloroform-d	7.648	84	330888	19.623	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	78.480%
26) 1,2-Dichloroethane-d4	8.477	65	152	0.017	ug/L	0.17
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.080%#
32) Benzene-d6	8.276	84	663423	19.129	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	76.520%
36) 1,2-Dichloropropane-d6	9.276	67	217637	20.546	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	82.200%
41) Toluene-d8	10.325	98	568413	18.074	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	72.280%
43) trans-1,3-Dichloroprop...	10.575	79	79870	16.537	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	66.160%
47) 2-Hexanone-d5	10.922	63	80657	36.803	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	73.600%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	163276	20.660	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	82.640%
66) 1,2-Dichlorobenzene-d4	13.848	152	178999	20.473	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	81.880%
Target Compounds					Qvalue	
48) 2-Hexanone	10.922	43	12590	2.731	ug/L #	68


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102623\
Data File : VW027446.D
Acq On : 26 Oct 2023 13:03
Operator : SY/MD
Sample : 05034-13
Misc : 4.79g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: Oct 27 01:28:53 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Oct 27 01:27:32 2023
Response via : Initial Calibration





#48
 2-Hexanone
 Concen: 2.731 ug/L
 RT: 10.922 min Scan# 14
 Delta R.T. -0.043 min
 Lab File: VW027446.D
 Acq: 26 Oct 2023 13:03

Instrument :
 MSVOA_W
 ClientSampleId :



Tgt Ion: 43	Resp:	12590
Ion	Ratio	Lower Upper
43	100	
58	22.6	42.2 63.4#
57	21.7	15.1 22.7
100	1.3	9.0 13.4#

