

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102623\
 Data File : VW027445.D
 Acq On : 26 Oct 2023 12:39
 Operator : SY/MD
 Sample : VIBLK553
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK553

Quant Time: Oct 27 01:28:42 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Oct 27 01:27:32 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	375071	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	351303	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	181672	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	93381	16.313	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	65.240%		
7) Chloroethane-d5	2.899	69	77998	18.977	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	75.920%		
11) 1,1-Dichloroethene-d2	4.021	65	50591	17.638	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	70.560%		
21) 2-Butanone-d5	7.075	46	78279	41.144	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	82.280%		
24) Chloroform-d	7.648	84	224226	20.058	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	80.240%		
26) 1,2-Dichloroethane-d4	8.307	65	120769	20.111	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	80.440%		
32) Benzene-d6	8.276	84	459364	19.327	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	77.320%		
36) 1,2-Dichloropropane-d6	9.270	67	146644	20.200	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	80.800%		
41) Toluene-d8	10.325	98	388432	18.022	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	72.080%		
43) trans-1,3-Dichloroprop...	10.575	79	52233	15.780	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	63.120%		
47) 2-Hexanone-d5	10.922	63	57411	38.223	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	76.440%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	112582	20.785	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	83.160%		
66) 1,2-Dichlorobenzene-d4	13.848	152	128485	19.516	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	78.080%		
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	17631	2.568	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102623\
Data File : VW027445.D
Acq On : 26 Oct 2023 12:39
Operator : SY/MD
Sample : VIBLK553
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK553


Quant Time: Oct 27 01:28:42 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Oct 27 01:27:32 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.568 ug/L
RT: 4.917 min Scan# 49
Delta R.T. -0.000 min
Lab File: VW027445.D
Acq: 26 Oct 2023 12:39

Instrument :
MSVOA_W
ClientSampleId :
VIBLK553



Tgt Ion:	84	Resp:	17631
Ion	Ratio	Lower	Upper
84	100		
86	63.6	41.3	76.7
49	135.4	92.8	172.4

