

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102824\
 Data File : VW030787.D
 Acq On : 28 Oct 2024 15:40
 Operator : SY/MD
 Sample : P4568-06
 Misc : 5.50g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4EF6

Quant Time: Oct 29 01:34:25 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM100924SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Oct 29 01:29:12 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	390654	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	347272	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	140634	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	61099	9.950	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	39.800%		
7) Chloroethane-d5	2.899	69	73211	15.751	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	63.000%		
11) 1,1-Dichloroethene-d2	4.021	65	26252	10.279	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	41.120%#		
21) 2-Butanone-d5	7.075	46	50759	45.933	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	91.860%		
24) Chloroform-d	7.648	84	222311	19.899	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	79.600%		
26) 1,2-Dichloroethane-d4	8.307	65	119901	20.639	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	82.560%		
32) Benzene-d6	8.270	84	327713	16.259	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	65.040%		
36) 1,2-Dichloropropane-d6	9.270	67	127236	21.508	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	86.040%		
41) Toluene-d8	10.319	98	258325	14.040	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	56.160%		
43) trans-1,3-Dichloroprop...	10.575	79	43399	17.520	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	70.080%		
47) 2-Hexanone-d5	10.922	63	38636	50.706	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	101.420%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	110105	25.343	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	101.360%		
66) 1,2-Dichlorobenzene-d4	13.848	152	106085	22.294	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	89.160%		
Target Compounds					Qvalue	
13) Acetone	4.125	43	12122	7.493	ug/L	86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102824\
Data File : VW030787.D
Acq On : 28 Oct 2024 15:40
Operator : SY/MD
Sample : P4568-06
Misc : 5.50g/10mL/MSVOA_W/SOIL/A
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4EF6

Quant Time: Oct 29 01:34:25 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM100924SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Oct 29 01:29:12 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 7.493 ug/L
 RT: 4.125 min Scan# 30
 Delta R.T. -0.006 min
 Lab File: VW030787.D
 Acq: 28 Oct 2024 15:40

Instrument :
 MSVOA_W
 ClientSampleId :
 A4EF6

Tgt Ion: 43 Resp: 12122
 Ion Ratio Lower Upper
 43 100
 58 36.1 0.0 57.6

