

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102824\
 Data File : VW030798.D
 Acq On : 28 Oct 2024 20:05
 Operator : SY/MD
 Sample : P4568-17
 Misc : 4.99g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4EF1

Manual Integrations
 APPROVED

Reviewed By :Romaben Patel 10/29/2024
 Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 29 01:37:27 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM100924SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Oct 29 01:29:12 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	392879	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	319728	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	120383	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	59109	9.572	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	38.280%
7) Chloroethane-d5	2.893	69	70479	15.077	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	60.320%
11) 1,1-Dichloroethene-d2	4.021	65	25304	9.852	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	39.400%#
21) 2-Butanone-d5	7.075	46	45156	40.632	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	81.260%
24) Chloroform-d	7.648	84	224043	19.941	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	79.760%
26) 1,2-Dichloroethane-d4	8.301	65	117845m	20.170	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	80.680%
32) Benzene-d6	8.270	84	320575	17.275	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	69.120%
36) 1,2-Dichloropropane-d6	9.276	67	123911	22.750	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.000%
41) Toluene-d8	10.319	98	234835	13.862	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	55.440%
43) trans-1,3-Dichloroprop...	10.575	79	40543	17.777	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	71.120%
47) 2-Hexanone-d5	10.922	63	33358	47.551	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.100%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	108504	27.126	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	108.520%
66) 1,2-Dichlorobenzene-d4	13.848	152	90617	22.247	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	89.000%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW102824\
Data File : VW030798.D
Acq On : 28 Oct 2024 20:05
Operator : SY/MD
Sample : P4568-17
Misc : 4.99g/10mL/MSVOA_W/SOIL/A
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4EF1

Manual Integrations
APPROVED

Reviewed By :Romaben Patel 10/29/2024
Supervised By :Mahesh Dadoda 10/29/2024

Quant Time: Oct 29 01:37:27 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM100924SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Oct 29 01:29:12 2024
Response via : Initial Calibration

