

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW103018\
 Data File : VW006448.D
 Acq On : 29 Oct 2018 11:27
 Operator : SY/AP
 Sample : VW1030SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK95

Quant Time: Oct 30 05:02:48 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100918S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 30 04:53:39 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	336667	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	316659	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	170010	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	101097	26.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	106.52%
7) Chloroethane-d5	2.90	69	84861	25.97	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	103.88%
10) 1,1-Dichloroethene-d2	4.01	63	137603	18.87	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	75.48%
20) 2-Butanone-d5	7.10	46	54473	43.28	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.56%
24) Chloroform-d	7.65	84	175687	24.09	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.36%
26) 1,2-Dichloroethane-d4	8.31	65	102232	25.34	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.36%
29) Benzene-d6	8.27	84	364927	25.38	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	101.52%
33) 1,2-Dichloropropane-d6	9.27	67	102830	23.70	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.80%
37) Toluene-d8	10.33	98	365047	25.39	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	101.56%
38) trans-1,3-Dichloropropene-	10.58	79	48179	22.85	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.40%
39) 2-Hexanone-d5	10.93	63	44527	42.47	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.94%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	99942	23.69	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.76%
61) 1,2-Dichlorobenzene-d4	13.86	152	149651	25.68	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	102.72%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW103018\
Data File : VW006448.D
Acq On : 29 Oct 2018 11:27
Operator : SY/AP
Sample : VW1030SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK95

Quant Time: Oct 30 05:02:48 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100918S.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 30 04:53:39 2018
Response via : Initial Calibration

