

Quantitation Report (Qedit)


Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW103119\
Data File : VW013878.D
Acq On : 01 Nov 2019 03:52
Operator : SY/VA
Sample : K5552-11
Misc : 4.72G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAQC4

Quant Time: Nov 01 05:58:31 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM103119S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 01 05:55:58 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
11/1/2019 12:06:04 PM



(16) Methylene chloride (T)

4.903min (-0.018) 0.81ug/L

response 5158

Ion	Exp%	Act%
84.00	100	100
49.00	117.40	108.40
86.00	65.20	57.64
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW103119\
 Data File : VW013878.D
 Acq On : 01 Nov 2019 03:52
 Operator : SY/VA
 Sample : K5552-11
 Misc : 4.72G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 Client Sampled :
 GAQC4

Quant Time: Nov 01 05:58:31 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM103119S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 01 05:55:58 2019
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 11/1/2019 12:06:04 PM



TIC: VW013878.D

(16) Methylene chloride (T)

4.915min (-0.006) 2.23ug/L m

response 14250

Ion	Exp%	Act%
84.00	100	100
49.00	117.40	120.51
86.00	65.20	71.71
0.00	0.00	0.00

11/01/19 sy

Quantitation Report (QT Reviewed)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW103119\
 Data File : VW013878.D
 Acq On : 01 Nov 2019 03:52
 Operator : SY/VA
 Sample : K5552-11
 Misc : 4.72G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 Client Sampled :
 GAQC4

Quant Time: Nov 01 06:05:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM103119S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 01 05:55:58 2019
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 11/1/2019 12:06:04 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	327427	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	315305	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	154628	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	137941	27.67	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	110.68%
7) Chloroethane-d5	2.89	69	112736	28.91	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	115.64%
10) 1,1-Dichloroethene-d2	4.03	63	204367	20.49	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	81.96%
20) 2-Butanone-d5	7.07	46	78039	44.55	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.10%
24) Chloroform-d	7.65	84	281859	28.13	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	112.52%
26) 1,2-Dichloroethane-d4	8.31	65	154369	28.33	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	113.32%
29) Benzene-d6	8.27	84	603922	29.56	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	118.24%
33) 1,2-Dichloropropane-d6	9.27	67	184790	30.18	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	120.72%#
37) Toluene-d8	10.32	98	552318	28.27	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	113.08%
38) trans-1,3-Dichloropropene-	10.58	79	73711	26.32	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	105.28%
39) 2-Hexanone-d5	10.93	63	68553	48.64	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.28%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	139978	25.15	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.60%
61) 1,2-Dichlorobenzene-d4	13.85	152	171371	28.78	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	115.12%

Target Compounds

					Ovalue
13) Acetone	4.12	43	20615	12.574 ug/L	98
16) Methylene chloride	4.92	84	14250m	2.226 ug/L	96
22) cis-1,2-Dichloroethene	7.17	96	4499	0.740 ug/L	96
35) Trichloroethene	9.09	95	10053	1.742 ug/L	96
47) Tetrachloroethene	10.86	164	53143	10.254 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW103119\
 Data File : VW013878.D
 Acq On : 01 Nov 2019 03:52
 Operator : SY/VA
 Sample : K5552-11
 Misc : 4.72G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 Client Sampled :
 GAQC4

Quant Time: Nov 01 06:05:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM103119S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 01 05:55:58 2019
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 11/1/2019 12:06:04 PM

