

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW103119\
 Data File : VW013864.D
 Acq On : 31 Oct 2019 18:11
 Operator : SY/VA
 Sample : K5596-10
 Misc : 6.50G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAQB1

Quant Time: Nov 01 04:56:28 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM103119S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 01 02:10:29 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	140978	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	134744	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	61300	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	45914	21.39	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.56%
7) Chloroethane-d5	2.89	69	35445	21.11	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.44%
10) 1,1-Dichloroethene-d2	4.01	63	71292	16.60	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	66.40%
20) 2-Butanone-d5	7.08	46	27459	36.40	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	72.80%
24) Chloroform-d	7.65	84	91644	21.24	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	84.96%
26) 1,2-Dichloroethane-d4	8.31	65	49406	21.06	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	84.24%
29) Benzene-d6	8.27	84	193950	22.22	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.88%
33) 1,2-Dichloropropane-d6	9.27	67	57895	22.13	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.52%
37) Toluene-d8	10.32	98	168955	20.24	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.96%
38) trans-1,3-Dichloropropene-	10.57	79	21405	17.88	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	71.52%
39) 2-Hexanone-d5	10.92	63	21459	35.63	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	71.26%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	47531	19.99	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	79.96%
61) 1,2-Dichlorobenzene-d4	13.85	152	51243	21.71	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	86.84%

Target Compounds


					Qvalue
13) Acetone	4.12	43	12365	17.516 ug/L	99
15) Methyl Acetate	4.67	43	14899	11.463 ug/L #	74
34) Benzene	8.32	78	5279	0.565 ug/L	100
44) Toluene	10.39	91	9113	0.903 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW103119\
Data File : VW013864.D
Acq On : 31 Oct 2019 18:11
Operator : SY/VA
Sample : K5596-10
Misc : 6.50G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAQB1

Quant Time: Nov 01 04:56:28 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM103119S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 01 02:10:29 2019
Response via : Initial Calibration





#13

Acetone

Concen: 17.516 ug/L

RT: 4.12 min Scan# 364

Delta R.T. 0.01 min

Lab File: VW013864.D

Acq: 31 Oct 2019 18:11

Instrument :

MSVOA_W

ClientSampleId :





GAQB1

Tgt Ion: 43 Resp: 12365

Ion Ratio Lower Upper

43 100

58 30.9 0.0 63.4



#15

Methyl Acetate

Concen: 11.463 ug/L

RT: 4.67 min Scan# 454

Delta R.T. 0.01 min

Lab File: VW013864.D




Acq: 31 Oct 2019 18:11


Tgt Ion: 43 Resp: 14899

Ion Ratio Lower Upper

43 100

74 11.1 19.2 28.8#





#34

Benzene

Concen: 0.565 ug/L

RT: 8.32 min Scan# 1053

Delta R.T. 0.00 min

Lab File: VW013864.D

Acq: 31 Oct 2019 18:11


Instrument :

MSVOA_W




ClientSampleId :

GAQB1

Tgt Ion: 78 Resp: 5279



Abundance Ion 78.00 (77.70 to 78.70): VW



#44

Toluene

Concen: 0.903 ug/L

RT: 10.39 min Scan# 1392

Delta R.T. 0.00 min

Lab File: VW013864.D


Acq: 31 Oct 2019 18:11

Tgt Ion: 91 Resp: 9113

Ion Ratio Lower Upper

91 100

92 62.3 42.0 78.0



Abundance Ion 91.00 (90.70 to 91.70): VW

