

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW110123\
 Data File : VW027512.D
 Acq On : 01 Nov 2023 19:04
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Nov 02 03:38:40 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Nov 02 03:33:34 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	325559	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	307138	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	151815	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	70212	14.131	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	56.520%
7) Chloroethane-d5	2.893	69	62282	17.458	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.840%
11) 1,1-Dichloroethene-d2	4.021	65	37982	15.256	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.040%
21) 2-Butanone-d5	7.081	46	79705	48.264	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.520%
24) Chloroform-d	7.648	84	198840	20.492	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	81.960%
26) 1,2-Dichloroethane-d4	8.465	65	115	0.022	ug/L	0.16
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.080%#
32) Benzene-d6	8.270	84	388611	18.701	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	74.800%
36) 1,2-Dichloropropane-d6	9.270	67	131789	20.764	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	83.040%
41) Toluene-d8	10.325	98	316956	16.820	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	67.280%
43) trans-1,3-Dichloroprop...	10.581	79	43196	14.927	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	59.720%
47) 2-Hexanone-d5	10.922	63	58311	44.405	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.800%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	113976	24.069	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.280%
66) 1,2-Dichlorobenzene-d4	13.848	152	113863	20.697	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	82.800%
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	10263	1.722	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW110123\
Data File : VW027512.D
Acq On : 01 Nov 2023 19:04
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: Nov 02 03:38:40 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101123SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Nov 02 03:33:34 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.722 ug/L
RT: 4.923 min Scan# 49
Delta R.T. 0.006 min
Lab File: VW027512.D
Acq: 01 Nov 2023 19:04

Instrument :
MSVOA_W
ClientSampleId :



Tgt Ion: 84 Resp: 10263

Ion	Ratio	Lower	Upper
84	100		
86	60.4	41.3	76.7
49	139.7	92.8	172.4

