

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW110424\
 Data File : VW030909.D
 Acq On : 04 Nov 2024 16:36
 Operator : SY/MD
 Sample : P4622-02
 Misc : 5.06g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Nov 05 00:41:05 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM110424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Nov 05 00:39:41 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	592524	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	536424	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	241646	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	200066	20.587	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.360%
7) Chloroethane-d5	2.899	69	158738	21.298	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.200%
11) 1,1-Dichloroethene-d2	4.015	65	86543	21.582	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	86.320%
21) 2-Butanone-d5	7.075	46	93464	58.443	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	116.880%
24) Chloroform-d	7.648	84	366101	20.959	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.840%
26) 1,2-Dichloroethane-d4	8.301	65	204712	23.571	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.280%
32) Benzene-d6	8.276	84	739585	22.193	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.760%
36) 1,2-Dichloropropane-d6	9.270	67	215716	21.958	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.840%
41) Toluene-d8	10.325	98	668068	22.350	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	89.400%
43) trans-1,3-Dichloroprop...	10.575	79	91384	22.949	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.800%
47) 2-Hexanone-d5	10.922	63	73070	57.391	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	114.780%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	182866	26.717	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	106.880%
66) 1,2-Dichlorobenzene-d4	13.849	152	212102	24.096	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.400%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW110424\
Data File : VW030909.D
Acq On : 04 Nov 2024 16:36
Operator : SY/MD
Sample : P4622-02
Misc : 5.06g/10mL/MSVOA_W/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Nov 05 00:41:05 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM110424SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Nov 05 00:39:41 2024
Response via : Initial Calibration

