

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW110621\
 Data File : VW020780.D
 Acq On : 05 Nov 2021 15:35
 Operator : SY/VA
 Sample : M4511-02
 Misc : 5.53g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4266

Quant Time: Nov 08 04:52:55 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM110621SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Nov 08 04:38:07 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	194674	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.628	117	170527	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	88414	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	50932	27.826	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	111.320%
7) Chloroethane-d5	2.879	69	26349	25.411	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	101.640%
11) 1,1-Dichloroethene-d2	4.013	63	64819	16.872	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.480%
21) 2-Butanone-d5	7.074	46	20987	34.526	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	69.060%
24) Chloroform-d	7.647	84	97584	22.560	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.240%
26) 1,2-Dichloroethane-d4	8.305	65	50182	21.792	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	87.160%
32) Benzene-d6	8.275	84	199217	25.857	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	103.440%
36) 1,2-Dichloropropane-d6	9.274	67	57450	24.084	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.320%
41) Toluene-d8	10.323	98	192499	25.682	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	102.720%
43) trans-1,3-Dichloroprop...	10.573	79	25982	21.960	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.840%
47) 2-Hexanone-d5	10.920	63	17112	35.454	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	70.900%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	37899	19.171	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	76.680%
66) 1,2-Dichlorobenzene-d4	13.853	152	65375	23.529	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.120%
Target Compounds						
					Qvalue	
13) Acetone	4.117	43	3725	6.669	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW110621\
Data File : VW020780.D
Acq On : 05 Nov 2021 15:35
Operator : SY/VA
Sample : M4511-02
Misc : 5.53g/10.0mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4266

Quant Time: Nov 08 04:52:55 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM110621SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Nov 08 04:38:07 2021
Response via : Initial Calibration





#13
 Acetone
 Concen: 6.669 ug/L
 RT: 4.117 min Scan# 30
 Delta R.T. -0.006 min
 Lab File: VW020780.D
 Acq: 05 Nov 2021 15:35

Instrument :
 MSVOA_W
 ClientSampleId :
 A4266

Tgt Ion: 43 Resp: 3725
 Ion Ratio Lower Upper
 43 100
 58 27.2 0.0 52.8

