




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW110824\
Data File : VW030973.D
Acq On : 08 Nov 2024 16:27
Operator : SY/MD
Sample : P4724-16
Misc : 4.58g/10mL/MSVOA_W/SOIL/A
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BH9G6

Manual IntegrationsAPPROVED

Quant Time: Nov 08 22:07:46 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM110424SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Nov 08 22:04:34 2024
Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 11/12/2024
Supervised By :Semsettin Yesilyurt 11/12/2024



TIC: VW030973.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.009min (-0.012) 6.06 ug/L

response 310

Ion	Exp%	Act%
65.00	100.00	100.00
100.00	134.90	283.23#
102.00	20.20	15.81
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW110824\
Data File : VW030973.D
Acq On : 08 Nov 2024 16:27
Operator : SY/MD
Sample : P4724-16
Misc : 4.58g/10mL/MSVOA_W/SOIL/A
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BH9G6

Manual IntegrationsAPPROVED

Quant Time: Nov 08 22:07:46 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM110424SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Nov 08 22:04:34 2024
Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 11/12/2024
Supervised By :Semsettin Yesilyurt 11/12/2024



TIC: VW030973.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.033min (+ 0.012) 29.08 ug/L m

response 1488

Ion	Exp%	Act%
65.00	100.00	100.00
100.00	134.90	59.01#
102.00	20.20	3.29#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\Vw110824\
 Data File : VW030973.D
 Acq On : 08 Nov 2024 16:27
 Operator : SY/MD
 Sample : P4724-16
 Misc : 4.58g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH9G6

Manual IntegrationsAPPROVED

Quant Time: Nov 08 22:07:46 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM110424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Nov 08 22:04:34 2024
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 11/12/2024
 Supervised By :Semsettin Yesilyurt 11/12/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.849	114	7560	25.000	ug/L	0.01
28) Chlorobenzene-d5	11.635	117	6641	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.562	152	1900	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.357	65	3562	28.728	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	114.920%	
7) Chloroethane-d5	2.905	69	2834	29.802	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	119.200%	
11) 1,1-Dichloroethene-d2	4.033	65	1488m	29.084	ug/L	0.01
Spiked Amount 25.000	Range 45	- 110	Recovery	=	116.320%#	
21) 2-Butanone-d5	0.000	46	0d	0.000	ug/L	
Spiked Amount 50.000	Range 20	- 135	Recovery	=	0.000%#	
24) Chloroform-d	7.648	84	5803	26.038	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	104.160%	
26) 1,2-Dichloroethane-d4	8.307	65	2749	24.808	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	99.240%	
32) Benzene-d6	8.282	84	10122	24.534	ug/L	0.01
Spiked Amount 25.000	Range 20	- 135	Recovery	=	98.120%	
36) 1,2-Dichloropropane-d6	9.270	67	3033	24.938	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	99.760%	
41) Toluene-d8	10.325	98	7023	18.978	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	75.920%	
43) trans-1,3-Dichloroprop...	10.581	79	475	9.635	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	38.560%	
47) 2-Hexanone-d5	0.000	63	0d	0.000	ug/L	
Spiked Amount 50.000	Range 20	- 135	Recovery	=	0.000%#	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	2041	24.087	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	96.360%	
66) 1,2-Dichlorobenzene-d4	13.855	152	1615	23.335	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	93.320%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW110824\
Data File : VW030973.D
Acq On : 08 Nov 2024 16:27
Operator : SY/MD
Sample : P4724-16
Misc : 4.58g/10mL/MSVOA_W/SOIL/A
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BH9G6

Manual IntegrationsAPPROVED

Quant Time: Nov 08 22:07:46 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM110424SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Nov 08 22:04:34 2024
Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 11/12/2024
Supervised By :Semsettin Yesilyurt 11/12/2024

