

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111518\
 Data File : VW006893.D
 Acq On : 15 Nov 2018 12:02
 Operator : SY/AP
 Sample : VW1115SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK82

Quant Time: Nov 16 04:59:02 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111418S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 16 04:49:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	150661	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	143772	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	69064	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	33176	24.80	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	99.20%
7) Chloroethane-d5	2.89	69	25134	25.86	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	103.44%
10) 1,1-Dichloroethene-d2	4.02	63	66018	18.48	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	73.92%
20) 2-Butanone-d5	7.09	46	32488	44.07	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.14%
24) Chloroform-d	7.65	84	76191	22.84	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.36%
26) 1,2-Dichloroethane-d4	8.31	65	47601	25.29	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.16%
29) Benzene-d6	8.28	84	170467	22.68	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.72%
33) 1,2-Dichloropropane-d6	9.27	67	50932	22.14	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.56%
37) Toluene-d8	10.33	98	174058	22.61	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.44%
38) trans-1,3-Dichloropropene-	10.58	79	21909	22.17	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.68%
39) 2-Hexanone-d5	10.93	63	24579	42.88	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.76%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	45118	22.66	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	90.64%
61) 1,2-Dichlorobenzene-d4	13.86	152	60676	23.20	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.80%

Target Compounds					Ovalue
16) Methylene chloride	4.93	84	5301	2.012 ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111518\
Data File : VW006893.D
Acq On : 15 Nov 2018 12:02
Operator : SY/AP
Sample : VW1115SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK82

Quant Time: Nov 16 04:59:02 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111418S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 16 04:49:42 2018
Response via : Initial Calibration

