

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111518\
 Data File : VW006899.D
 Acq On : 15 Nov 2018 16:04
 Operator : SY/AP
 Sample : J5945-05
 Misc : 6.17G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 ETOA2

Quant Time: Nov 16 05:46:41 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111418S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 16 04:49:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	175246	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	166914	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	77087	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	38985	25.06	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.24%
7) Chloroethane-d5	2.89	69	29839	26.39	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	105.56%
10) 1,1-Dichloroethene-d2	4.02	63	76378	18.38	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	73.52%
20) 2-Butanone-d5	7.09	46	33515	39.09	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.18%
24) Chloroform-d	7.65	84	93055	23.99	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.96%
26) 1,2-Dichloroethane-d4	8.31	65	59596	27.22	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	108.88%
29) Benzene-d6	8.28	84	204962	23.49	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	93.96%
33) 1,2-Dichloropropane-d6	9.27	67	63693	23.85	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.40%
37) Toluene-d8	10.33	98	211123	23.62	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	94.48%
38) trans-1,3-Dichloropropene-	10.58	79	27740	24.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	96.72%
39) 2-Hexanone-d5	10.93	63	26879	40.39	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.78%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	53355	23.08	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.32%
61) 1,2-Dichlorobenzene-d4	13.86	152	70128	24.02	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.08%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	7607	2.482 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111518\
Data File : VW006899.D
Acq On : 15 Nov 2018 16:04
Operator : SY/AP
Sample : J5945-05
Misc : 6.17G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
ETOA2

Quant Time: Nov 16 05:46:41 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111418S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 16 04:49:42 2018
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 2.482 ug/L
 RT: 4.92 min Scan# 495
 Delta R.T. -0.00 min
 Lab File: VW006899.D
 Acq: 15 Nov 2018 16:04

Instrument :
 MSVOA_W
 ClientSampleId :
 ETOA2

Tot Ion	Ratio	Lower	Upper
84	100		
49	125.8	79.3	147.3
86	65.0	43.5	80.9

