

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111518\
 Data File : VW006901.D
 Acq On : 15 Nov 2018 16:55
 Operator : SY/AP
 Sample : J5945-07
 Misc : 5.49G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 ETOA5

Quant Time: Nov 16 05:57:28 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111418S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 16 04:49:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	126810	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	125552	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	59038	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	27298	24.25	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.00%
7) Chloroethane-d5	2.89	69	21394	26.15	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	104.60%
10) 1,1-Dichloroethene-d2	4.02	63	55184	18.35	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	73.40%
20) 2-Butanone-d5	7.08	46	29324	47.26	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.52%
24) Chloroform-d	7.65	84	72265	25.74	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	102.96%
26) 1,2-Dichloroethane-d4	8.31	65	47086	29.72	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	118.88%
29) Benzene-d6	8.28	84	152686	23.26	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	93.04%
33) 1,2-Dichloropropane-d6	9.28	67	48743	24.26	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.04%
37) Toluene-d8	10.33	98	158280	23.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	94.20%
38) trans-1,3-Dichloropropene-	10.58	79	21649	25.09	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	100.36%
39) 2-Hexanone-d5	10.93	63	22834	45.62	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.24%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	43700	25.13	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.52%
61) 1,2-Dichlorobenzene-d4	13.86	152	55219	24.70	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.80%


Target Compounds					Ovalue
16) Methylene chloride	4.93	84	6096	2.749 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111518\
Data File : VW006901.D
Acq On : 15 Nov 2018 16:55
Operator : SY/AP
Sample : J5945-07
Misc : 5.49G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
ETOA5

Quant Time: Nov 16 05:57:28 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111418S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 16 04:49:42 2018
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 2.749 ug/L
 RT: 4.93 min Scan# 496
 Delta R.T. 0.01 min
 Lab File: VW006901.D
 Acq: 15 Nov 2018 16:55

Instrument :
 MSVOA_W
 ClientSampleId :
 ETOA5

Tot Ion: 84 Resp: 6096
 Ion Ratio Lower Upper
 84 100
 49 111.4 79.3 147.3
 86 52.7 43.5 80.9

