

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111518\
 Data File : VW006904.D
 Acq On : 15 Nov 2018 18:11
 Operator : SY/AP
 Sample : J5945-17
 Misc : 6.07G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 ETOA8

Quant Time: Nov 16 06:07:22 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111418S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 16 04:49:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	149878	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	137508	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	57704	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	34451	25.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	103.56%
7) Chloroethane-d5	2.89	69	26296	27.20	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	108.80%
10) 1,1-Dichloroethene-d2	4.02	63	67391	18.96	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	75.84%
20) 2-Butanone-d5	7.09	46	27384	37.34	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.68%
24) Chloroform-d	7.65	84	81479	24.56	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.24%
26) 1,2-Dichloroethane-d4	8.31	65	51304	27.40	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	109.60%
29) Benzene-d6	8.28	84	177029	24.63	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.52%
33) 1,2-Dichloropropane-d6	9.28	67	55714	25.32	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	101.28%
37) Toluene-d8	10.33	98	178582	24.26	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	97.04%
38) trans-1,3-Dichloropropene-	10.58	79	22578	23.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	95.56%
39) 2-Hexanone-d5	10.93	63	21088	38.47	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	76.94%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	45820	24.06	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.24%
61) 1,2-Dichlorobenzene-d4	13.86	152	54162	24.79	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.16%


Target Compounds					Ovalue
16) Methylene chloride	4.93	84	6323	2.413 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111518\
Data File : VW006904.D
Acq On : 15 Nov 2018 18:11
Operator : SY/AP
Sample : J5945-17
Misc : 6.07G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
ETOA8

Quant Time: Nov 16 06:07:22 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111418S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 16 04:49:42 2018
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.413 ug/L
RT: 4.93 min Scan# 496
Delta R.T. 0.01 min
Lab File: VW006904.D
Acq: 15 Nov 2018 18:11

Instrument :
MSVOA_W
ClientSampleId :
ETOAB

Tot Ion: 84 Resp: 6323

Ion	Ratio	Lower	Upper
84	100		
49	110.5	79.3	147.3
86	57.2	43.5	80.9

