

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111518\
 Data File : VW006905.D
 Acq On : 15 Nov 2018 18:36
 Operator : SY/AP
 Sample : J5945-18
 Misc : 6.28G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 ETOB0

Quant Time: Nov 16 06:09:18 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111418S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 16 04:49:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	153387	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	147906	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	68425	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	33733	24.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	99.08%
7) Chloroethane-d5	2.89	69	25858	26.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	104.52%
10) 1,1-Dichloroethene-d2	4.03	63	66337	18.24	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	72.96%
20) 2-Butanone-d5	7.09	46	32653	43.51	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.02%
24) Chloroform-d	7.65	84	81230	23.92	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.68%
26) 1,2-Dichloroethane-d4	8.31	65	52630	27.46	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	109.84%
29) Benzene-d6	8.28	84	180119	23.30	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	93.20%
33) 1,2-Dichloropropane-d6	9.27	67	55561	23.48	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.92%
37) Toluene-d8	10.33	98	184667	23.32	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.28%
38) trans-1,3-Dichloropropene-	10.58	79	23886	23.50	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	94.00%
39) 2-Hexanone-d5	10.93	63	26402	44.77	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.54%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	50137	24.48	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	97.92%
61) 1,2-Dichlorobenzene-d4	13.86	152	62968	24.30	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.20%


Target Compounds					Ovalue
16) Methylene chloride	4.93	84	6671	2.487 ug/L	97




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111518\
Data File : VW006905.D
Acq On : 15 Nov 2018 18:36
Operator : SY/AP
Sample : J5945-18
Misc : 6.28G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
ETOB0

Quant Time: Nov 16 06:09:18 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM111418S.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 16 04:49:42 2018
Response via : Initial Calibration





#16

Methylene chloride

Concen: 2.487 ug/L

RT: 4.93 min Scan# 496

Delta R.T. 0.01 min

Lab File: VW006905.D

Acq: 15 Nov 2018 18:36

Instrument :

MSVOA_W

ClientSampleId :

ETOB0

Tot Ion: 84 Resp: 6671

Ion Ratio Lower Upper

84 100

49 115.3 79.3 147.3

86 65.2 43.5 80.9

