

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111520\
 Data File : VW017231.D
 Acq On : 15 Nov 2020 12:31
 Operator : SY/VA
 Sample : VIBLK
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK14

Quant Time: Nov 16 10:03:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
 Quant Title : VOC Analysis
 QLast Update : Mon Nov 16 09:47:42 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	428413	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	395679	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	190073	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	110771	20.53	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.12%
7) Chloroethane-d5	2.90	69	96050	23.10	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.40%
10) 1,1-Dichloroethene-d2	4.03	63	153282	15.88	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.52%
20) 2-Butanone-d5	7.09	46	48531	40.22	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.44%
24) Chloroform-d	7.65	84	235247	23.52	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.08%
26) 1,2-Dichloroethane-d4	8.31	65	117917	23.72	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.88%
29) Benzene-d6	8.28	84	458465	22.75	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.00%
33) 1,2-Dichloropropane-d6	9.28	67	128844	23.12	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.48%
37) Toluene-d8	10.33	98	420175	22.12	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.48%
38) trans-1,3-Dichloropropene-	10.59	79	52199	20.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.08%
39) 2-Hexanone-d5	10.93	63	39439	40.55	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	81.10%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	105942	21.82	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	87.28%
61) 1,2-Dichlorobenzene-d4	13.86	152	162402	24.25	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.00%


Target Compounds					Ovalue
16) Methylene chloride	4.93	84	7264	1.258 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111520\
Data File : VW017231.D
Acq On : 15 Nov 2020 12:31
Operator : SY/VA
Sample : VIBLK
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK14

Quant Time: Nov 16 10:03:47 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
Quant Title : VOC Analysis
QLast Update : Mon Nov 16 09:47:42 2020
Response via : Initial Calibration





#16
 Methylene chloride
 Concen: 1.258 ug/L
 RT: 4.93 min Scan# 496
 Delta R.T. 0.01 min
 Lab File: VW017231.D
 Acq: 15 Nov 2020 12:31

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK14

Tot Ion:	84	Resp:	7264
Ion	Ratio	Lower	Upper
84	100		
49	87.7	72.3	134.3
86	64.5	45.1	83.7

