

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111520\
 Data File : VW017235.D
 Acq On : 15 Nov 2020 14:05
 Operator : SY/VA
 Sample : VIBLK
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK16

Quant Time: Nov 16 10:27:52 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
 Quant Title : VOC Analysis
 QLast Update : Mon Nov 16 09:47:42 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	453398	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	423013	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	203111	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	111686	19.56	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.24%
7) Chloroethane-d5	2.89	69	97953	22.26	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.04%
10) 1,1-Dichloroethene-d2	4.02	63	162780	15.94	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.76%
20) 2-Butanone-d5	7.08	46	54451	42.64	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.28%
24) Chloroform-d	7.65	84	260696	24.63	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.52%
26) 1,2-Dichloroethane-d4	8.31	65	133078	25.29	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.16%
29) Benzene-d6	8.28	84	500347	23.23	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.92%
33) 1,2-Dichloropropane-d6	9.28	67	140561	23.59	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.36%
37) Toluene-d8	10.33	98	472120	23.24	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.96%
38) trans-1,3-Dichloropropene-	10.58	79	59014	21.97	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.88%
39) 2-Hexanone-d5	10.93	63	47103	45.30	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.60%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	118293	22.79	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.16%
61) 1,2-Dichlorobenzene-d4	13.85	152	186084	26.00	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.00%


Target Compounds					Ovalue
16) Methylene chloride	4.93	84	8663	1.417 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111520\
Data File : VW017235.D
Acq On : 15 Nov 2020 14:05
Operator : SY/VA
Sample : VIBLK
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK16

Quant Time: Nov 16 10:27:52 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
Quant Title : VOC Analysis
QLast Update : Mon Nov 16 09:47:42 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 1.417 ug/L
 RT: 4.93 min Scan# 496
 Delta R.T. 0.01 min
 Lab File: VW017235.D
 Acq: 15 Nov 2020 14:05

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK16

Tot Ion: 84 Resp: 8663
 Ion Ratio Lower Upper
 84 100
 49 93.7 72.3 134.3
 86 64.1 45.1 83.7

