

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120822\
 Data File : VW025129.D
 Acq On : 08 Dec 2022 14:04
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK592

Quant Time: Dec 08 23:25:29 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120822SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Dec 08 11:34:08 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	389350	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	350191	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	169581	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	93992	20.942	ug/L	-0.01
Spiked Amount 25.000	Range 30 - 150		Recovery =	83.760%		
7) Chloroethane-d5	2.885	69	64206	22.154	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	88.600%		
11) 1,1-Dichloroethene-d2	4.013	63	161464	16.421	ug/L	-0.01
Spiked Amount 25.000	Range 45 - 110		Recovery =	65.680%		
21) 2-Butanone-d5	7.074	46	55902	49.612	ug/L	-0.01
Spiked Amount 50.000	Range 20 - 135		Recovery =	99.220%		
24) Chloroform-d	7.647	84	232667	23.150	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	92.600%		
26) 1,2-Dichloroethane-d4	8.305	65	122948	24.123	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	96.480%		
32) Benzene-d6	8.275	84	475127	23.135	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	92.560%		
36) 1,2-Dichloropropane-d6	9.274	67	142220	23.800	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	95.200%		
41) Toluene-d8	10.323	98	426648	22.913	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	91.640%		
43) trans-1,3-Dichloroprop...	10.579	79	56364	22.329	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	89.320%		
47) 2-Hexanone-d5	10.920	63	45158	51.507	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	103.020%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	107570	24.377	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	97.520%		
66) 1,2-Dichlorobenzene-d4	13.853	152	142855	24.853	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	99.400%		
Target Compounds						Qvalue
16) Methylene chloride	4.915	84	21267	3.495	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW120822\
Data File : VW025129.D
Acq On : 08 Dec 2022 14:04
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK592

Quant Time: Dec 08 23:25:29 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120822SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Dec 08 11:34:08 2022
Response via : Initial Calibration

