

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121124\
 Data File : VW031216.D
 Acq On : 11 Dec 2024 16:04
 Operator : SY/MD
 Sample : P5153-12RE
 Misc : 7.84g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E28P9RE

Quant Time: Dec 12 03:04:53 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Dec 12 03:01:22 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	286389	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.629	117	169873	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	30708	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	85265	19.347	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.400%
7) Chloroethane-d5	2.893	69	70260	20.548	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.200%
11) 1,1-Dichloroethene-d2	4.015	65	31184	15.509	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	62.040%
21) 2-Butanone-d5	7.094	46	22620	29.347	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	58.700%
24) Chloroform-d	7.648	84	175688	20.945	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.800%
26) 1,2-Dichloroethane-d4	8.307	65	101066	24.486	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	97.960%
32) Benzene-d6	8.276	84	246215	23.582	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.320%
36) 1,2-Dichloropropane-d6	9.270	67	98795	32.304	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	129.200%#
41) Toluene-d8	10.319	98	152897	16.227	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	64.920%
43) trans-1,3-Dichloroprop...	10.575	79	23867	19.384	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.520%
47) 2-Hexanone-d5	10.922	63	12811	35.754	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	71.500%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	60320	29.225	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	116.880%
66) 1,2-Dichlorobenzene-d4	13.849	152	18027	16.528	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	66.120%#

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121124\
Data File : VW031216.D
Acq On : 11 Dec 2024 16:04
Operator : SY/MD
Sample : P5153-12RE
Misc : 7.84g/10mL/MSVOA_W/SOIL/B
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E28P9RE

Quant Time: Dec 12 03:04:53 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120424SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Dec 12 03:01:22 2024
Response via : Initial Calibration

