

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121124\
 Data File : VW031223.D
 Acq On : 11 Dec 2024 18:50
 Operator : SY/MD
 Sample : P5155-14
 Misc : 5.13g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E28T9

Manual Integrations
 APPROVED

Reviewed By :Romaben Patel 12/12/2024
 Supervised By :Mahesh Dadoda 12/13/2024

Quant Time: Dec 12 03:06:57 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Dec 12 03:01:22 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	45914	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.629	117	30411	25.000	ug/L	# 0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	6037	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	15944	22.565	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.280%
7) Chloroethane-d5	2.893	69	13321	24.300	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.200%
11) 1,1-Dichloroethene-d2	4.021	65	6631	20.570	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	82.280%
21) 2-Butanone-d5	7.093	46	1888m	15.279	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	30.560%
24) Chloroform-d	7.648	84	28109	20.903	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.600%
26) 1,2-Dichloroethane-d4	8.301	65	15060m	22.759	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.040%
32) Benzene-d6	8.276	84	38895	20.809	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	83.240%
36) 1,2-Dichloropropane-d6	9.270	67	15669m	28.619	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	114.480%
41) Toluene-d8	10.319	98	23514	13.940	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	55.760%
43) trans-1,3-Dichloroprop...	10.575	79	2725	12.362	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	49.440%
47) 2-Hexanone-d5	10.922	63	886	13.812	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	27.620%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	9497	25.702	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	102.800%
66) 1,2-Dichlorobenzene-d4	13.848	152	3548	16.546	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	66.200%#

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121124\
Data File : VW031223.D
Acq On : 11 Dec 2024 18:50
Operator : SY/MD
Sample : P5155-14
Misc : 5.13g/10mL/MSVOA_W/SOIL/A
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E28T9

Quant Time: Dec 12 03:06:57 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120424SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Dec 12 03:01:22 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Romaben Patel 12/12/2024
Supervised By :Mahesh Dadoda 12/13/2024

