

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW121219\
 Data File : VW014322.D
 Acq On : 12 Dec 2019 13:27
 Operator : SY/VA
 Sample : K6236-18
 Misc : 5.18G/10ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFEZ5

Manual Integrations
 APPROVED

apatel
 12/23/2019 11:53:25 AM

Quant Time: Dec 13 06:38:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 13 06:08:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	1203858	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	1056784	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	391047	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	309394	16.97	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	67.88%
7) Chloroethane-d5	2.89	69	281373	20.76	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.04%
10) 1,1-Dichloroethene-d2	4.01	63	452566	14.06	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	56.24%
20) 2-Butanone-d5	7.07	46	94259	19.84	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	39.68%
24) Chloroform-d	7.65	84	753795	24.59	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.36%
26) 1,2-Dichloroethane-d4	8.30	65	402721m	25.06	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.24%
29) Benzene-d6	8.27	84	1465751	23.67	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.68%
33) 1,2-Dichloropropane-d6	9.27	67	497245	26.10	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	104.40%
37) Toluene-d8	10.32	98	1237316	22.09	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.36%
38) trans-1,3-Dichloropropene-	10.57	79	115865	14.49	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	57.96%
39) 2-Hexanone-d5	10.92	63	69306	18.29	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	36.58%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	319285	20.56	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	82.24%
61) 1,2-Dichlorobenzene-d4	13.85	152	351538	23.53	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.12%

Target Compounds				Ovalue
13) Acetone	4.12	43	16333	3.566 ug/L 65

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW121219\
Data File : VW014322.D
Acq On : 12 Dec 2019 13:27
Operator : SY/VA
Sample : K6236-18
Misc : 5.18G/10ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BFEZ5

Manual Integrations
APPROVED

apatel
12/23/2019 11:53:25 AM

Quant Time: Dec 13 06:38:56 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 13 06:08:10 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.566 ug/L
 RT: 4.12 min Scan# 363
 Delta R.T. -0.00 min
 Lab File: VW014322.D
 Acq: 12 Dec 2019 13:27

Instrument :
 MSVOA_W
 ClientSampleId :
 BFEZ5

Tot Ion	Ratio	Lower	Upper
43	100		
58	13.1	0.0	65.4

Manual Integrations
 APPROVED

apatel
 12/23/2019 11:53:25 AM

