

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW121319\
 Data File : VW014350.D
 Acq On : 13 Dec 2019 15:29
 Operator : SY/VA
 Sample : K6270-01
 Misc : 5.44G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 ETK79

Manual Integrations
 APPROVED

apatel
 12/16/2019 1:11:34 PM

Quant Time: Dec 14 05:32:49 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 14 04:28:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	1325326	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	1141484	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	487051	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	386487	19.26	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.04%
7) Chloroethane-d5	2.89	69	313435	21.00	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.00%
10) 1,1-Dichloroethene-d2	4.01	63	559511	15.78	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.12%
20) 2-Butanone-d5	7.07	46	185591	35.49	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	70.98%
24) Chloroform-d	7.64	84	737300	21.85	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	87.40%
26) 1,2-Dichloroethane-d4	8.30	65	371370	20.99	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	83.96%
29) Benzene-d6	8.27	84	1549770	23.17	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.68%
33) 1,2-Dichloropropane-d6	9.27	67	477414	23.20	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.80%
37) Toluene-d8	10.32	98	1368910	22.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.52%
38) trans-1,3-Dichloropropene-	10.57	79	174624	20.22	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	80.88%
39) 2-Hexanone-d5	10.92	63	159001	38.85	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	77.70%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	333231	19.87	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	79.48%
61) 1,2-Dichlorobenzene-d4	13.85	152	423615	22.76	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	91.04%

Target Compounds

					Ovalue
13) Acetone	4.12	43	20345	4.035 ug/L	94
30) Cyclohexane	7.95	56	23243	0.816 ug/L #	76
34) Benzene	8.32	78	79814m	1.104 ug/L	
36) Methylcyclohexane	9.34	83	36236	1.166 ug/L #	86
44) Toluene	10.38	91	181354	2.393 ug/L	99
53) Ethylbenzene	11.72	91	58928	0.717 ug/L	91
54) m,p-Xylene	11.83	106	35650	1.127 ug/L	96
55) o-xylene	12.16	106	13835	0.461 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW121319\
Data File : VW014350.D
Acq On : 13 Dec 2019 15:29
Operator : SY/VA
Sample : K6270-01
Misc : 5.44G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
ETK79

Manual Integrations
APPROVED

apatel
12/16/2019 1:11:34 PM

Quant Time: Dec 14 05:32:49 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 14 04:28:18 2019
Response via : Initial Calibration

