

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW121319\
 Data File : VW014359.D
 Acq On : 13 Dec 2019 19:27
 Operator : SY/VA
 Sample : K6279-04
 Misc : 4.73G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFEY6

Quant Time: Dec 14 06:10:37 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 14 04:28:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	912335	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	781260	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	277766	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	262485	19.00	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.00%
7) Chloroethane-d5	2.88	69	217414	21.17	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.68%
10) 1,1-Dichloroethene-d2	4.01	63	368132	15.09	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.36%
20) 2-Butanone-d5	7.08	46	72090	20.02	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	40.04%
24) Chloroform-d	7.65	84	516989	22.26	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.04%
26) 1,2-Dichloroethane-d4	8.30	65	261430	21.47	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	85.88%
29) Benzene-d6	8.27	84	1027422	22.44	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	89.76%
33) 1,2-Dichloropropane-d6	9.27	67	333114	23.65	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.60%
37) Toluene-d8	10.32	98	848946	20.50	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.00%
38) trans-1,3-Dichloropropene-	10.57	79	90468	15.31	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	61.24%
39) 2-Hexanone-d5	10.93	63	56863	20.30	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	40.60%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	202966	17.68	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	70.72%
61) 1,2-Dichlorobenzene-d4	13.85	152	228654	21.54	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	86.16%

Target Compounds					Ovalue
16) Methylene chloride	4.91	84	25756	1.842 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW121319\
Data File : VW014359.D
Acq On : 13 Dec 2019 19:27
Operator : SY/VA
Sample : K6279-04
Misc : 4.73G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFEY6

Quant Time: Dec 14 06:10:37 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 14 04:28:18 2019
Response via : Initial Calibration

