

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW121319\
 Data File : VW014342.D
 Acq On : 13 Dec 2019 11:22
 Operator : SY/VA
 Sample : VW1213SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK10

Quant Time: Dec 14 04:36:28 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 14 04:28:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	861242	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	718876	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	283406	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	297704	22.83	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.32%
7) Chloroethane-d5	2.89	69	230584	23.78	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.12%
10) 1,1-Dichloroethene-d2	4.01	63	417438	18.12	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	72.48%
20) 2-Butanone-d5	7.07	46	150159	44.18	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.36%
24) Chloroform-d	7.65	84	490981	22.39	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.56%
26) 1,2-Dichloroethane-d4	8.30	65	244539	21.27	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	85.08%
29) Benzene-d6	8.27	84	1070578	25.41	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	101.64%
33) 1,2-Dichloropropane-d6	9.27	67	312063	24.07	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.28%
37) Toluene-d8	10.32	98	929828	24.41	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	97.64%
38) trans-1,3-Dichloropropene-	10.57	79	110819	20.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.52%
39) 2-Hexanone-d5	10.92	63	106931	41.49	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.98%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	222455	21.06	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	84.24%
61) 1,2-Dichlorobenzene-d4	13.85	152	260822	24.08	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.32%


Target Compounds					Ovalue
13) Acetone	4.12	43	16570	5.057 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW121319\
Data File : VW014342.D
Acq On : 13 Dec 2019 11:22
Operator : SY/VA
Sample : VW1213SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK10

Quant Time: Dec 14 04:36:28 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 14 04:28:18 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 5.057 ug/L
 RT: 4.12 min Scan# 364
 Delta R.T. 0.01 min
 Lab File: VW014342.D
 Acq: 13 Dec 2019 11:22

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK10

Tot Ion: 43 Resp: 16570
 Ion Ratio Lower Upper
 43 100
 58 33.0 0.0 65.4

