

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121523\
 Data File : VW027647.D
 Acq On : 15 Dec 2023 20:21
 Operator : SY/MD
 Sample : 05834-04
 Misc : 5.03g/10mL/MSVOA_W/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGQZ7

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 12/17/2023
 Supervised By :Semsettin Yesilyurt 12/17/2023

Quant Time: Dec 16 01:40:17 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121523SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Dec 16 00:05:51 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	636393	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	543269	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	232238	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	192678	21.378	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	85.520%		
7) Chloroethane-d5	2.899	69	158315m	22.560	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	90.240%		
11) 1,1-Dichloroethene-d2	4.021	65	74397	20.611	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	82.440%		
21) 2-Butanone-d5	7.081	46	63644	41.469	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	82.940%		
24) Chloroform-d	7.654	84	338327	22.342	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	89.360%		
26) 1,2-Dichloroethane-d4	8.307	65	170782	24.019	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	96.080%		
32) Benzene-d6	8.270	84	731229	23.030	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	92.120%		
36) 1,2-Dichloropropane-d6	9.270	67	217039	24.128	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	96.520%		
41) Toluene-d8	10.319	98	628810	21.346	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	85.400%		
43) trans-1,3-Dichloroprop...	10.575	79	80725	23.179	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	92.720%		
47) 2-Hexanone-d5	10.922	63	61031	46.559	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	93.120%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	163851	24.087	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	96.360%		
66) 1,2-Dichlorobenzene-d4	13.848	152	167354	20.131	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	80.520%		
Target Compounds					Qvalue	
46) Tetrachloroethene	10.861	164	115177	16.802	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121523\
Data File : VW027647.D
Acq On : 15 Dec 2023 20:21
Operator : SY/MD
Sample : 05834-04
Misc : 5.03g/10mL/MSVOA_W/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BQZ7

Quant Time: Dec 16 01:40:17 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121523SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Dec 16 00:05:51 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/17/2023
Supervised By :Semsettin Yesilyurt 12/17/2023

