

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121523\
 Data File : VW027694.D
 Acq On : 16 Dec 2023 16:11
 Operator : SY/MD
 Sample : 05836-04
 Misc : 5.20g/10mL/MSVOA_W/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCLS7

Quant Time: Dec 17 00:20:14 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121523SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sun Dec 17 00:15:03 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	612663	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	569391	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	277267	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	169995	19.592	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.360%
7) Chloroethane-d5	2.899	69	137123	20.297	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.200%
11) 1,1-Dichloroethene-d2	4.021	65	68130	19.606	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	78.440%
21) 2-Butanone-d5	7.081	46	67648	45.785	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.580%
24) Chloroform-d	7.648	84	301229	20.662	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.640%
26) 1,2-Dichloroethane-d4	8.307	65	154610	22.587	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	90.360%
32) Benzene-d6	8.276	84	668374	20.085	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	80.360%
36) 1,2-Dichloropropane-d6	9.270	67	191917	20.357	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	81.440%
41) Toluene-d8	10.319	98	619460	20.064	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.240%
43) trans-1,3-Dichloroprop...	10.575	79	76063	20.838	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.360%
47) 2-Hexanone-d5	10.922	63	66224	48.202	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.400%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	152134	21.338	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	85.360%
66) 1,2-Dichlorobenzene-d4	13.848	152	200626	20.214	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	80.840%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121523\
Data File : VW027694.D
Acq On : 16 Dec 2023 16:11
Operator : SY/MD
Sample : 05836-04
Misc : 5.20g/10mL/MSVOA_W/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DCLS7

Quant Time: Dec 17 00:20:14 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121523SMA.M
Quant Title : SFAM01.0
QLast Update : Sun Dec 17 00:15:03 2023
Response via : Initial Calibration

