

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121923\
 Data File : VW027767.D
 Acq On : 19 Dec 2023 10:15
 Operator : SY/MD
 Sample : VW1219SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Dec 19 22:34:29 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121523SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sun Dec 17 01:25:09 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	375608	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	332173	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	158541	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	107859	20.276	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.120%
7) Chloroethane-d5	2.899	69	81367	19.646	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.600%
11) 1,1-Dichloroethene-d2	4.027	65	44501	20.888	ug/L	0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	83.560%
21) 2-Butanone-d5	7.099	46	29145	32.175	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	64.360%
24) Chloroform-d	7.654	84	196379	21.972	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	87.880%
26) 1,2-Dichloroethane-d4	8.306	65	89141	21.242	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	84.960%
32) Benzene-d6	8.276	84	434007	22.356	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	89.440%
36) 1,2-Dichloropropane-d6	9.276	67	119872	21.795	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.200%
41) Toluene-d8	10.324	98	411616	22.853	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.400%
43) trans-1,3-Dichloroprop...	10.580	79	41296	19.393	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.560%
47) 2-Hexanone-d5	10.928	63	26690	33.300	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	66.600%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	78149	18.789	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	75.160%
66) 1,2-Dichlorobenzene-d4	13.848	152	131716	23.210	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.840%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121923\
Data File : VW027767.D
Acq On : 19 Dec 2023 10:15
Operator : SY/MD
Sample : VW1219SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Dec 19 22:34:29 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121523SMA.M
Quant Title : SFAM01.0
QLast Update : Sun Dec 17 01:25:09 2023
Response via : Initial Calibration

