

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121923\
 Data File : VW027788.D
 Acq On : 19 Dec 2023 18:44
 Operator : SY/MD
 Sample : VIBLK580
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK580

Quant Time: Dec 19 22:37:20 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121523SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sun Dec 17 01:25:09 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	419638	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	371205	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	180336	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	90900	15.295	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	61.200%
7) Chloroethane-d5	2.905	69	76358	16.502	ug/L	0.01
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.000%
11) 1,1-Dichloroethene-d2	4.021	65	38862	16.327	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.320%
21) 2-Butanone-d5	7.088	46	32574	32.188	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	64.380%
24) Chloroform-d	7.648	84	182388	18.265	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	73.080%
26) 1,2-Dichloroethane-d4	8.307	65	86785	18.510	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	74.040%
32) Benzene-d6	8.276	84	400422	18.457	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	73.840%
36) 1,2-Dichloropropane-d6	9.276	67	111412	18.127	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	72.520%
41) Toluene-d8	10.325	98	379459	18.852	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	75.400%
43) trans-1,3-Dichloroprop...	10.575	79	40272	16.924	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	67.680%
47) 2-Hexanone-d5	10.922	63	30407	33.949	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	67.900%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	80943	17.415	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	69.640%
66) 1,2-Dichlorobenzene-d4	13.849	152	122563	18.987	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	75.960%
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	14073	2.139	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121923\
Data File : VW027788.D
Acq On : 19 Dec 2023 18:44
Operator : SY/MD
Sample : VIBLK580
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK580


Quant Time: Dec 19 22:37:20 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121523SMA.M
Quant Title : SFAM01.0
QLast Update : Sun Dec 17 01:25:09 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.139 ug/L
RT: 4.923 min Scan# 49
Delta R.T. 0.006 min
Lab File: VW027788.D
Acq: 19 Dec 2023 18:44

Instrument :
MSVOA_W
ClientSampleId :
VIBLK580



Tgt Ion: 84 Resp: 14073

Ion	Ratio	Lower	Upper
84	100		
86	65.0	45.8	85.2
49	105.1	76.2	141.6

