

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122024\
 Data File : VW031425.D
 Acq On : 20 Dec 2024 14:13
 Operator : SY/MD
 Sample : P5333-15
 Misc : 7.52g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Dec 20 22:03:03 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 20 21:58:26 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	833286	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	496868	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	114214	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.357	65	230961	18.421	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	73.680%	
7) Chloroethane-d5	2.899	69	188976	20.376	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	81.520%	
11) 1,1-Dichloroethene-d2	4.015	65	97531	16.399	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	65.600%	
21) 2-Butanone-d5	7.106	46	34128	14.454	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	28.900%	
24) Chloroform-d	7.648	84	374743	16.414	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	65.640%	
26) 1,2-Dichloroethane-d4	8.173	65	71	0.006	ug/L	-0.13
Spiked Amount	25.000	Range 70 - 130	Recovery	=	0.040%#	
32) Benzene-d6	8.270	84	716840	22.509	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	90.040%	
36) 1,2-Dichloropropane-d6	9.270	67	221945	23.913	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	95.640%	
41) Toluene-d8	10.319	98	550596	18.584	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	74.320%	
43) trans-1,3-Dichloroprop...	10.575	79	42144	9.848	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	39.400%	
47) 2-Hexanone-d5	10.922	63	21057	16.870	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	33.740%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	113221	19.429	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	77.720%	
66) 1,2-Dichlorobenzene-d4	13.849	152	70473	16.621	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	66.480%#	
Target Compounds						
15) Methyl Acetate	4.698	43	1132	0.303	ug/L	Qvalue # 88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122024\
Data File : VW031425.D
Acq On : 20 Dec 2024 14:13
Operator : SY/MD
Sample : P5333-15
Misc : 7.52g/10mL/MSVOA_W/SOIL/A
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Dec 20 22:03:03 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121324SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Dec 20 21:58:26 2024
Response via : Initial Calibration





#15

Methyl Acetate

Concen: 0.303 ug/L

RT: 4.698 min Scan# 4

Delta R.T. 0.006 min


Lab File: VW031425.D

Acq: 20 Dec 2024 14:13

Instrument :

MSVOA_W

ClientSampleId :



Tgt Ion: 43 Resp: 1132

Ion Ratio Lower Upper

43 100

74 29.5 18.9 28.3#

