

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122024\
 Data File : VW031438.D
 Acq On : 20 Dec 2024 19:51
 Operator : SY/MD
 Sample : VW1220SBL02
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK414

Quant Time: Dec 20 23:43:09 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 20 23:42:37 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	566676	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.623	117	509676	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.550	152	241194	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.357	65	168422	19.753	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.000%
7) Chloroethane-d5	2.893	69	143071	22.684	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.720%
11) 1,1-Dichloroethene-d2	4.015	65	74426	18.402	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	73.600%
21) 2-Butanone-d5	7.094	46	83212	51.822	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.640%
24) Chloroform-d	7.648	84	337046	21.708	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	86.840%
26) 1,2-Dichloroethane-d4	8.307	65	189050	24.245	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.960%
32) Benzene-d6	8.270	84	674238	20.640	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	82.560%
36) 1,2-Dichloropropane-d6	9.270	67	205966	21.633	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.520%
41) Toluene-d8	10.319	98	623174	20.506	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.040%
43) trans-1,3-Dichloroprop...	10.575	79	80998	18.451	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	73.800%
47) 2-Hexanone-d5	10.922	63	64976	50.748	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.500%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	161022	26.937	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	107.760%
66) 1,2-Dichlorobenzene-d4	13.848	152	208686	23.306	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	93.240%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122024\
Data File : VW031438.D
Acq On : 20 Dec 2024 19:51
Operator : SY/MD
Sample : VW1220SBL02
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK414

Quant Time: Dec 20 23:43:09 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121324SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Dec 20 23:42:37 2024
Response via : Initial Calibration

