

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122121\
 Data File : VW021546.D
 Acq On : 22 Dec 2021 00:41
 Operator : SY/VA
 Sample : M5194-12
 Misc : 7.58g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGLC4

Quant Time: Dec 22 03:52:56 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Dec 22 02:57:00 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	150083	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.628	117	144658	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	86079	25.000	ug/L	0.00

System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	44724	16.362	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.440%
7) Chloroethane-d5	2.879	69	29730	16.453	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.800%
11) 1,1-Dichloroethene-d2	4.013	63	57004	15.643	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	62.560%
21) 2-Butanone-d5	7.080	46	18059	46.870	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.740%
24) Chloroform-d	7.647	84	90657	21.675	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	86.720%
26) 1,2-Dichloroethane-d4	8.305	65	50970	22.910	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.640%
32) Benzene-d6	8.275	84	176366	22.243	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.960%
36) 1,2-Dichloropropane-d6	9.275	67	49135	23.106	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.440%
41) Toluene-d8	10.323	98	173997	21.477	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.920%
43) trans-1,3-Dichloroprop...	10.579	79	20910	21.355	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.440%
47) 2-Hexanone-d5	10.927	63	15163	48.220	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.440%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	37826	20.692	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	82.760%
66) 1,2-Dichlorobenzene-d4	13.853	152	67004	20.085	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	80.320%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122121\
Data File : VW021546.D
Acq On : 22 Dec 2021 00:41
Operator : SY/VA
Sample : M5194-12
Misc : 7.58g/10.0mL/MSVOA_W/SOIL
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BGLC4

Quant Time: Dec 22 03:52:56 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Dec 22 02:57:00 2021
Response via : Initial Calibration

