

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122124\
 Data File : VW031486.D
 Acq On : 22 Dec 2024 03:16
 Operator : SY/MD
 Sample : P5322-07
 Misc : 6.12g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Dec 23 02:14:39 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Dec 23 01:56:19 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	662797	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	515588	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	187992	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.356	65	159741	16.018	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	64.080%	
7) Chloroethane-d5	2.899	69	130135	17.641	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	70.560%	
11) 1,1-Dichloroethene-d2	4.021	65	65030	13.747	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	55.000%	
21) 2-Butanone-d5	7.100	46	45020	23.971	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	47.940%	
24) Chloroform-d	7.648	84	260949	14.369	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	57.480%	
26) 1,2-Dichloroethane-d4	8.307	65	135206	14.825	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	59.280%#	
32) Benzene-d6	8.276	84	535714	16.211	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	64.840%	
36) 1,2-Dichloropropane-d6	9.270	67	158501	16.457	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	65.840%#	
41) Toluene-d8	10.325	98	437579	14.234	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	56.920%	
43) trans-1,3-Dichloroprop...	10.575	79	48847	10.999	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	44.000%	
47) 2-Hexanone-d5	10.928	63	32562	25.140	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	50.280%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	92476	15.293	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	61.160%	
66) 1,2-Dichlorobenzene-d4	13.848	152	110626	15.851	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	63.400%#	
Target Compounds						
					Qvalue	
12) 1,1-Dichloroethene	4.039	96	4816	0.593	ug/L #	1
34) Trichloroethene	9.093	95	18681	2.077	ug/L	95
46) Tetrachloroethene	10.861	164	4787	0.727	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122124\
Data File : VW031486.D
Acq On : 22 Dec 2024 03:16
Operator : SY/MD
Sample : P5322-07
Misc : 6.12g/10mL/MSVOA_W/SOIL/A
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: Dec 23 02:14:39 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121324SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Dec 23 01:56:19 2024
Response via : Initial Calibration








#12
1,1-Dichloroethene
Concen: 0.593 ug/L
RT: 4.039 min Scan# 353
Delta R.T. -0.000 min
Lab File: VW031486.D
Acq: 22 Dec 2024 03:16


Instrument :
MSVOA_W
ClientSampleId :





Tgt Ion: 96 Resp: 4816
Ion Ratio Lower Upper
96 100
61 475.5 125.3 232.7#
63 2709.5 104.6 194.2#




#34
Trichloroethene
Concen: 2.077 ug/L
RT: 9.093 min Scan# 1182
Delta R.T. -0.000 min
Lab File: VW031486.D
Acq: 22 Dec 2024 03:16




Tgt Ion: 95 Resp: 18681
Ion Ratio Lower Upper
95 100
97 61.3 46.5 86.3
132 94.8 70.3 130.5
130 102.6 73.6 136.8





#46
 Tetrachloroethene
 Concen: 0.727 ug/L
 RT: 10.861 min Scan# 14
 Delta R.T. 0.006 min
 Lab File: VW031486.D
 Acq: 22 Dec 2024 03:16

Instrument :
 MSVOA_W
 ClientSampleId :



Tgt Ion:164 Resp: 4787

Ion	Ratio	Lower	Upper
164	100		
129	96.9	73.5	136.5
131	94.2	66.6	123.8
166	140.6	92.7	172.3

