


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122221\
Data File : VW021606.D
Acq On : 23 Dec 2021 12:03
Operator : SY/VA
Sample : M5174-02
Misc : 6.79g/10.0mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GBC13

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 12/24/2021
Supervised By :Mahesh Dadoda 01/02/2022

Quant Time: Dec 24 00:32:18 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Dec 24 00:28:54 2021
Response via : Initial Calibration






Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122221\
 Data File : VW021606.D
 Acq On : 23 Dec 2021 12:03
 Operator : SY/VA
 Sample : M5174-02
 Misc : 6.79g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GBC13

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 12/24/2021
 Supervised By :Mahesh Dadoda 01/02/2022

Quant Time: Dec 24 00:32:18 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 24 00:28:54 2021
 Response via : Initial Calibration



TIC: VW021606.D\data.ms

(29) Cyclohexane (T)

7.951min (-0.006) 0.16 ug/L

response 138

Ion	Exp%	Act%
56.00	100.00	100.00
69.00	29.40	0.00#
84.00	79.30	306.52#
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122221\
 Data File : VW021606.D
 Acq On : 23 Dec 2021 12:03
 Operator : SY/VA
 Sample : M5174-02
 Misc : 6.79g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GBC13

Manual IntegrationsAPPROVED

Quant Time: Dec 24 00:32:18 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 24 00:28:54 2021
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 12/24/2021
 Supervised By :Mahesh Dadoda 01/02/2022



TIC: VW021606.D\data.ms

(29) Cyclohexane (T)

7.951min (-0.006) 0.60 ug/L m

response 524

Ion	Exp%	Act%
56.00	100.00	100.00
69.00	29.40	0.00#
84.00	79.30	80.73
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\Vw122221\
 Data File : VW021606.D
 Acq On : 23 Dec 2021 12:03
 Operator : SY/VA
 Sample : M5174-02
 Misc : 6.79g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GBC13

Manual IntegrationsAPPROVED

Quant Time: Dec 24 00:32:18 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 24 00:28:54 2021
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 12/24/2021
 Supervised By :Mahesh Dadoda 01/02/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	65171	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.634	117	44162	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	11770	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	20786	17.512	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	70.040%	
7) Chloroethane-d5	2.879	69	15787	20.120	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	80.480%	
11) 1,1-Dichloroethene-d2	4.013	63	24912	15.743	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	62.960%	
21) 2-Butanone-d5	7.080	46	21506	128.539	ug/L	-0.02
Spiked Amount 50.000	Range 20	- 135	Recovery	=	257.080%#	
24) Chloroform-d	7.653	84	40789	22.459	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	89.840%	
26) 1,2-Dichloroethane-d4	8.305	65	26133	27.051	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	108.200%	
32) Benzene-d6	8.275	84	70605	29.167	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	116.680%	
36) 1,2-Dichloropropane-d6	9.274	67	20342	31.334	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	125.320%#	
41) Toluene-d8	10.323	98	54774	22.146	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	88.600%	
43) trans-1,3-Dichloroprop...	10.579	79	6889	23.046	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	92.200%	
47) 2-Hexanone-d5	10.927	63	13376	139.336	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	278.680%#	
56) 1,1,2,2-Tetrachloroeth...	12.695	84	13757	24.651	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	98.600%	
66) 1,2-Dichlorobenzene-d4	13.853	152	7092	15.547	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	62.200%#	
Target Compounds						
						Qvalue
13) Acetone	4.141	43	8286	55.244	ug/L	96
22) 2-Butanone	7.177	43	1426	7.280	ug/L	77
29) Cyclohexane	7.951	56	524m	0.596	ug/L	
35) Methylcyclohexane	9.335	83	726	0.652	ug/L #	90
42) Toluene	10.390	91	6708	2.384	ug/L	97
46) Tetrachloroethene	10.859	164	330	0.514	ug/L #	74
52) Ethylbenzene	11.731	91	5483	1.705	ug/L	91
53) m,p-Xylene	11.841	106	788	0.608	ug/L	70

(#) = qualifier out of range (m) = manual integration (+) = signals summed