

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122221\
 Data File : VW021609.D
 Acq On : 23 Dec 2021 13:15
 Operator : SY/VA
 Sample : M5174-05
 Misc : 7.12g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GBC16

Manual Integrations
 APPROVED

Reviewed By : Semsettin Yesilyurt 12/24/2021
 Supervised By : Mahesh Dadoda 01/02/2022

Quant Time: Dec 24 00:33:01 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 24 00:28:54 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	126537	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.628	117	119022	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	52445	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	31796	13.797	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	55.200%		
7) Chloroethane-d5	2.879	69	24040	15.779	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	63.120%		
11) 1,1-Dichloroethene-d2	4.013	63	39951	13.003	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	52.000%		
21) 2-Butanone-d5	7.092	46	21152	65.113	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	130.220%		
24) Chloroform-d	7.647	84	70059	19.868	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	79.480%		
26) 1,2-Dichloroethane-d4	8.305	65	42544	22.681	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	90.720%		
32) Benzene-d6	8.275	84	127360	19.522	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	78.080%		
36) 1,2-Dichloropropane-d6	9.275	67	38234	21.852	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	87.400%		
41) Toluene-d8	10.323	98	123300	18.497	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	74.000%		
43) trans-1,3-Dichloroprop...	10.579	79	15984	19.841	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	79.360%		
47) 2-Hexanone-d5	10.927	63	18587	71.840	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	143.680%#		
56) 1,1,2,2-Tetrachloroeth...	12.689	84	37158	24.705	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	98.800%		
66) 1,2-Dichlorobenzene-d4	13.853	152	39015	19.195	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	76.800%		
Target Compounds					Qvalue	
13) Acetone	4.166	43	2085m	7.160	ug/L	
14) Carbon disulfide	4.379	76	18083	4.464	ug/L	98
42) Toluene	10.390	91	12333	1.626	ug/L	100
46) Tetrachloroethene	10.860	164	10025	5.798	ug/L	92
52) Ethylbenzene	11.731	91	14123	1.630	ug/L	99
63) 1,2,4-Trimethylbenzene	13.249	105	2403	0.402	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122221\
Data File : VW021609.D
Acq On : 23 Dec 2021 13:15
Operator : SY/VA
Sample : M5174-05
Misc : 7.12g/10.0mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
GBC16

Quant Time: Dec 24 00:33:01 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120921SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Dec 24 00:28:54 2021
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 12/24/2021
Supervised By :Mahesh Dadoda 01/02/2022





#13
Acetone
Concen: 7.160 ug/L m
RT: 4.166 min Scan# 371
Delta R.T. 0.000 min
Lab File: VW021609.D
Acq: 23 Dec 2021 13:15




Instrument :
MSVOA_W
ClientSampleId :
GBC16




Tgt Ion: 43 Resp: 2085
Ion Ratio Lower Upper
43 100
58 9.8 0.0 52.8

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 12/24/2021
Supervised By :Mahesh Dadoda 01/02/2022




#14
Carbon disulfide
Concen: 4.464 ug/L
RT: 4.379 min Scan# 406
Delta R.T. 0.000 min
Lab File: VW021609.D
Acq: 23 Dec 2021 13:15




Tgt Ion: 76 Resp: 18083
Ion Ratio Lower Upper
76 100
78 8.3 7.1 10.7





#42
Toluene
Concen: 1.626 ug/L
RT: 10.390 min Scan# 1392
Delta R.T. 0.000 min
Lab File: VW021609.D
Acq: 23 Dec 2021 13:15




Instrument :
MSVOA_W
ClientSampleId :
GBC16



Tgt Ion: 91 Resp: 1233
Ion Ratio Lower Upper
91 100
92 59.5 41.7 77.5




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 12/24/2021
Supervised By :Mahesh Dadoda 01/02/2022



#46
Tetrachloroethene
Concen: 5.798 ug/L
RT: 10.860 min Scan# 1469
Delta R.T. 0.000 min
Lab File: VW021609.D
Acq: 23 Dec 2021 13:15

Tgt Ion:164 Resp: 10025
Ion Ratio Lower Upper
164 100
129 90.6 65.5 121.7
131 91.3 59.7 110.9
166 113.4 88.7 164.7









#52
Ethylbenzene
Concen: 1.630 ug/L
RT: 11.731 min Scan# 1612
Delta R.T. 0.000 min
Lab File: VW021609.D
Acq: 23 Dec 2021 13:15

Instrument :
MSVOA_W
ClientSampleId :
GBC16

Tgt Ion: 91 Resp: 1412
Ion Ratio Lower Upper
91 100
106 31.4 21.5 39.9

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 12/24/2021
Supervised By :Mahesh Dadoda 01/02/2022



#63
1,2,4-Trimethylbenzene
Concen: 0.402 ug/L
RT: 13.249 min Scan# 1861
Delta R.T. 0.000 min
Lab File: VW021609.D
Acq: 23 Dec 2021 13:15

Tgt Ion:105 Resp: 2403
Ion Ratio Lower Upper
105 100
120 45.0 35.0 52.6

